

SPECIAL MEETING OF THE ROTTERDAM TOWN BOARD

December 27, 2024
5:00 PM

CALL TO ORDER

ROLL CALL

PLEDGE OF ALLEGIANCE

SUPERVISOR'S REMARKS: Supervisor Mollie A. Collins

EXECUTIVE SESSION

PROCLAMATIONS

PUBLIC HEARING

PRESENTATIONS

PUBLIC COMMENT – PRIVILEGE OF THE FLOOR:

Those members of the public wishing to address the Town Board will be asked to sign in before the meeting is called to order on the sign-in sheets being provided. Speakers will be called to the podium in the order of their signing in. Persons recognized by the Chair to speak during privilege of the floor shall direct his/her comments to the Town Supervisor as Chair of the meeting. Persons granted the privilege of the floor shall first clearly state his/her name and address for the record. Persons so addressing the Chair through the use of a prepared written statement shall submit a copy of the same to the Town Clerk for the purpose of maintaining clear and accurate official minutes of the Town Board meeting.

GENERAL RULES OF PROCEDURE FOR PUBLIC HEARINGS & PRIVILEGE OF THE FLOOR:

Any person recognized by the Town Supervisor to speak during privilege of the floor shall direct his/her comments to the Town Supervisor as chair of the meeting. Any person granted the privilege of the floor shall first clearly state his/her name and address for the record. The purpose of privilege of the floor shall be for speakers to express their views, thoughts and speak freely. Each speaker, who wishes to address the town board, shall have an equal and reasonable opportunity to be heard by the town board. Each speaker shall be afforded a maximum of four (4) minutes to address the Town Board.

INTRODUCTION OF MOTIONS, ORDERS AND RESOLUTIONS RESOLUTIONS

483.24 To authorize the purchase highway vehicles. Pg. 3

484.24 To authorize the purchase of one police vehicle. Pg. 42

485.24 Authorize Change Order No. 2 with Carver Construction Inc. for the Sartoli Avenue & Kings Road Drainage Improvements and Roadway Reconstruction Project. Pg. 57

486.24 To Amend Resolution 296.21 relating to the use of ARPA Funds. Pg. 79

487.24 To negotiate and execute an agreement with Marshall & Sterling Employee Benefits, Inc. Pg. 88

488.24 To authorize the Town Supervisor to execute the Memorandum of Agreement between the Town of Rotterdam and the Civil Service Employees' Association recognizing the new salary of Accountant. Pg. 94

LIAISON REPORTS

MISCELLANEOUS

EXECUTIVE SESSION

ADJOURNMENT

Mollie A. Collins, Supervisor

RESOLUTION NO. 483.24

TO AUTHORIZE THE PURCHASE HIGHWAY VEHICLES

THEREFORE, UPON MOTION OF Councilmember _____,

seconded by Councilmember _____,

BE IT RESOLVED BY THE TOWN BOARD AS FOLLOWS:

SECTION 1. The Town Board of the Town of Rotterdam hereby authorizes the purchase of one 2024 HV507 SBA 4x2 Truck (\$240,925.82), one 2024 HV507 SFA 4x4 Truck (\$262,271.59), and one 2024 HV607 SBA Refuse Truck (\$192,978.09) for the Highway Department, from Navistar Inc., located at 399 Albany Shaker Road Suite 202, Loudonville, New York 12211, with compliance under NYS contract, in the total combined amount not to exceed six hundred ninety six thousand one hundred seventy five and 50/100 (\$696,175.50) dollars, paid for by use of the American Rescue Plan Act funds.

SECTION 2. This resolution shall become effective December 27, 2024.

DATED: December 27, 2024

NAME	AYES	NOES	ABSTAIN
Dodson			
Mastroianni			
Gallucci			
Schlag			
Collins			

TOWN OF ROTTERDAM

John F. Kirvin Government Center • 1100 Sunrise Boulevard • Rotterdam, NY 12306
Telephone: 518-355-7575 • Fax: 518-355-7976 • Website: www.rotterdamny.org



LEGISLATIVE REQUEST FORM

DATE: December 22, 2024

TO: Mollie A. Collins, Town Supervisor
Town Board

FROM: Larry Lamora, Highway Superintendent
Alison Grace, Town Comptroller

TITLE OF REQUEST: Purchase of new highway vehicles

TOWN BOARD MEETING: December 27, 2024

Background Information: In need of two new plow trucks for plowing roads and a refuge truck for yard waste pickup.

Evaluations/Analysis: Vehicles are old and in need of replacement. Cost of maintenance and fixing these vehicles is no longer worth the value of the vehicle and time lost while not in use. Cost of replacing all 3 vehicles is \$696,175.50. Use of ARPA funds would be the best cost effective way of paying for the vehicles.

Recommendation: Approve purchase of highway vehicles

Attachment/Document(s): Dealer quotes

LEGISLATION WILL BE PREPARED BY: Supervisor's Office

2WD
Plow



HV507 SFA

Sales Proposal For:
TOWN OF ROTTERDAM

Presented By:
H. L. GAGE SALES, INC.

240,925 82

NYS MUNICIPAL QUOTE FORM

CONTRACT# 8996 Heavy/Medium

DATE December 17, 2024

Municipality Town of Rotterdam
Address 54 Duanesburg Road
City Rotterdam, NY 12306

Telephone 518-355-7722
Fax _____
Contact Larry Lamora

Model HV507 Description 4X2 List base price \$ 119,239.00

Chassis Contract Price Factor .70
Subtotal Chassis Contract Price \$ 83,467.30

CONTRACT OPTIONS

MSRP Chassis Options	53,273.00
Tenco Equipment	122,999.00

WARRANTY AND LOCAL PURCHASES

NYS Inspection, P & D, Fire Extinguisher, Triangle Kit, Clean and Deliver	N/C
Pricing Subject to Additional Freight and/or Surcharge	

LETTER, PURCHASE ORDER OR VOUCHER MUST BE MADE OUT TO:

NAVISTAR, INC.
399 Albany Shaker Road
Suite 202
Loudonville, NY 12211

PRICE PACKAGE	\$ 259,739.30
DISCOUNT ON OPTIONS 15%	\$ (7,990.95)
ADDITIONAL DISCOUNT	(10,822.53)
TOTAL DELIVERED PRICE	\$ 240,925.82


WB 185 CA/CT 110 AF 71 RATIO 5.63

PAINT COLOR Red PAINT CODE# 2303

Prepared For:
TOWN OF ROTTERDAM
Larry Lamora
TOWN HALL
ROTTERDAM, NY 12306-
(518)355 - 0000
Reference ID: N/A

Presented By:
H. L. GAGE SALES, INC.
Mark Rizzo
121 WASHINGTON AVE EXTENSION
ALBANY NY 12205 -
(518)456-8871

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2024 HV507 SFA (HV507)

AXLE CONFIG:	4X2
APPLICATION:	Front Plow with spreader
MISSION:	Requested GVWR: 44000. Calc. GVWR: 47120. Calc. GCWR: 80000 Calc. Start / Grade Ability: 27.47% / 3.63% @ 55 MPH Calc. Geared Speed: 71.9 MPH
DIMENSION:	Wheelbase: 185.00, CA: 110.00, Axle to Frame: 71.00
ENGINE, DIESEL:	{Cummins L9 370} EPA 2021, 370HP @ 2100 RPM, 1250 lb-ft Torque @ 1200 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
AXLE, REAR, SINGLE:	{Meritor RS-30-185} Single Reduction, 30,000-lb Capacity, Driver Controlled Locking Differential, T Wheel Ends Gear Ratio: 5.63
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(4) 12R22.5 Load Range H HDR2+ (CONTINENTAL), 479 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs
PAINT:	Cab schematic 100WK Location 1: 2303, Red (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
HV50700	Base Chassis, Model HV507 SFA with 185.00 Wheelbase, 110.00 CA, and 71.00 Axle to Frame.	5783/3857	9640
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8
1ANA	AXLE CONFIGURATION {Navistar} 4x2	51/-110	-59
	<u>Notes</u> : Pricing may change if axle configuration is changed.		
1CGE	FRAME RAILS Heat Treated Alloy Steel (125,000 PSI Yield); 11.25" x 4.00" x 0.500" (285.75mm x 101.6mm x 12.7mm); 480.8" (12212mm) Maximum OAL	261/585	846
1LNR	BUMPER, FRONT Swept Back, Steel, Painted 0001 Canyon Black, Heavy Duty	0/0	0
1MEJ	FRAME DIMPLE Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline	0/0	0
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	139/-34	105
1WEV	WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)	93/-93	0
2ARY	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity	186/0	186
3AGA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers	58/0	58
3WAJ	SPRINGS, FRONT AUXILIARY Air Bag, Right Side Only, Driver Control	15/0	15
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6		
4732	DRAIN VALVE {Berg} with Pull Chain, for Air Tank	0/0	0
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	0/0	0
4EBS	AIR DRYER {Bendix AD-9} with Heater	17/11	28
4ETG	BRAKE CHAMBERS, FRONT AXLE {MGM} 24 SqIn	5/0	5
4EXT	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 36/36 SqIn Spring Brake	0/23	23
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	0/0	0
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	14/0	14
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	0/16	16
4LGR	SLACK ADJUSTER PINS Stainless Steel Slack Adjuster Pins/Cotter Pins on Front and Rear	0/0	0
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
4VKA	AIR DRYER LOCATION Mounted Outside Right Rail, Back of Cab	7/4	11
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/10	10
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Rail, Front of Rear Suspension, Parallel to Rail	-34/54	20
4XCZ	BRAKES, REAR {Meritor 16.5X7 P} Air S-Cam Type, Cast Spider, Cast Shoe, Double Anchor Pin, Includes Greaseable and Zinc Coated Anchor Pins, Size 16.5" X 7", 38,000-lb Capacity per Axle	0/106	106
4XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity	33/0	33
5710	STEERING COLUMN Tilting and Telescoping	16/3	19
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	101/-5	96
6DGL	DRIVELINE SYSTEM {Dana Spicer} Service Free SPL170, for 4x2/6x2	8/30	38
7BEV	AFTERTREATMENT COVER Steel, Black	10/3	13
7BLW	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	128/48	176
7SDP	ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch	40/8	48
7WAZ	TAIL PIPE (1) Turnback Type	6/4	10
7WDM	EXHAUST HEIGHT 10'	15/12	27
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	9/7	16
7WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	2/0	2
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0
	<u>Includes</u>		
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab		
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel		
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever		
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light		
	: STARTER SWITCH Electric, Key Operated		
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector		
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature		
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever		
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted		
	: WIRING, CHASSIS Color Coded and Continuously Numbered		
8695	SNOW SHIELD (2) Chrome; for Dual Air Horns	2/0	2
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	1/0	1

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	0/0	0
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2
8HXT	HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord	0/0	0
8MJU	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud	35/40	75
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	5/3	8
8RPP	ANTENNA Shark Fin, Roof Mounted	1/0	1
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3
8TMG	TRAILER CONNECTION SOCKET {Phillips} 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers with Combined Stop, Tail, Turn Lamps	0/7	7
8TMH	SWITCH, AUXILIARY Accessory Control; for Wiring in Roof, with Maximum of 20 amp Load with Switches In Instrument Panel	1/0	1
8TNP	AUXILIARY HARNESS 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	3/0	3
8TNR	BATTERY CABLES with 36" of Extra Length Coiled and Strapped Near Battery Box	2/0	2
8VAY	HORN, ELECTRIC Disc Style	0/0	0
8VTR	BATTERY BOX Aluminum, with Plastic Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 35" Back of Cab	-52/4	-48
8VZR	SWITCH, BODY CIRCUITS, MID with Remote Power Module Mounted in Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches	1/0	1
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	9/1	10
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	0/0	0
8XHD	BATTERY DISCONNECT SWITCH 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Cab Mounted	2/0	2
8XNY	HEADLIGHTS Halogen	0/0	0
9585	FENDER EXTENSIONS Rubber	6/0	6

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
9AAB	LOGOS EXTERIOR Model Badges	0/0	0
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0
9ANG	HOOD, HATCH (01) for Servicing	5/0	5
9HBM	GRILLE Stationary, Chrome	0/0	0
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	0/0	0
10021	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WK"	0/0	0
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	1/0	1
10BAE	LABEL, DEF "DEF ONLY"	0/0	0
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0
11001	CLUTCH Omit Item (Clutch & Control)	0/0	0
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	3/0	3
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	10/0	10
12ESR	ENGINE, DIESEL {Cummins L9 370} EPA 2021, 370HP @ 2100 RPM, 1250 lb-ft Torque @ 1200 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)	560/4	564
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	0/0	0
12UWZ	RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	23/-5	18
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control	2/0	2
12VJH	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2023	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	0/0	0
12WBR	FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	0/0	0
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	0/0	0
12XBM	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines	0/0	0
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	0/0	0
13BCS	TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	209/74	283
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1
13WGH	TRANSMISSION DIPSTICK Relocated to Right Side of Transmission	1/0	1
13W GK	TRANSMISSION COOLER HOSES Stainless Steel	0/0	0
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	0
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	0/0	0
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	0/0	0
13XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring	5/0	5
13XAM	PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission	0/0	0
14ASD	AXLE, REAR, SINGLE {Meritor RS-30-185} Single Reduction, 30,000-lb Capacity, Driver Controlled Locking Differential, T Wheel Ends . Gear Ratio: 5.63	0/297	297
	<u>Notes</u> : Axle Lead Time is 60 Days		
14SAL	SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs	0/177	177
14WAP	SHOCK ABSORBERS, REAR (2)	0/45	45
14WMH	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 40 thru 49.99 Pints	0/0	0
15924	FUEL TANK STRAPS Bright Finish Stainless Steel	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
15DYP	DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab	13/4	17
15LMA	LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail, 15" Back of Cab	0/0	0
15LNG	FUEL/WATER SEPARATOR {Davco 245} 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor	3/1	4
15SJZ	FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	14/10	24
16030	CAB Conventional, Day Cab	0/0	0
16BAM	AIR CONDITIONER with Integral Heater and Defroster	0/0	0
16GED	GAUGE CLUSTER Base Level; English with English Electronic Speedometer	0/0	0
	<u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)		
16GHU	GRAB HANDLE, CAB INTERIOR (2) Safety Yellow	0/0	0
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	1/0	1
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	2/0	2
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	0/0	0
16RPV	SEAT, PASSENGER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust	66/30	96
16SGH	GRAB HANDLE, EXTERIOR (2) Chrome, for Cab Entry, (1) Towel Bar Type, with Anti-Slip Rubber Inserts Mounted Left Side at B-Pillar, (1) Towel Bar Type Mounted Right Side on Vertical Exhaust	4/2	6
16SJW	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Black, Heated, 7.5" Sq.	9/0	9
16SNP	MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	0/0	0
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"		
16VKB	CAB INTERIOR TRIM Classic, for Day Cab	0/0	0
	<u>Includes</u>		

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
	: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger		
	: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted		
	: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap		
16VLV	MONITOR, TIRE PRESSURE Omit	-9/-2	-11
16VSL	WINDSHIELD Heated, Single Piece	0/0	0
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3
16WBZ	ARM REST, LEFT, PASSENGER SEAT	3/0	3
16WEE	CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator	12/0	12
16WHJ	HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type	0/0	0
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	0/0	0
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0
16XJN	INSTRUMENT PANEL Flat Panel	0/0	0
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights	14/3	17
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2
16ZJA	ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab	-11/-3	-14
27DPN	WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	62/0	62
28DTT	WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs	0/28	28
29PBA	PAINT IDENTITY, FRONT WHEELS Disc Wheels; with Vendor Applied Black Powder Coat Paint	0/0	0
29PBB	PAINT IDENTITY, REAR WHEELS Disc Wheels; with Vendor Applied Black Powder Coat Paint	0/0	0
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	0/0	0
7382155444	(4) TIRE, REAR 12R22.5 Load Range H HDR2+ (CONTINENTAL), 479 rev/mile, 75 MPH, Drive	0/68	68
7792545437	(2) TIRE, FRONT 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position	62/0	62
Services Section:			
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
40VHX	SRV CONTRACT, EXT CMS ENG/AFTR (Cummins) To 72-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only)	0/0	0
Total Component Weight:		8077/5330	13407
<u>Body/Allied Equipment Code</u>	<u>Description</u>	<u>F/R Wt</u>	<u>Tot Wt</u>
1	Stainless Steel Oil Pan	0/0	0
Total Body Allied:		0/0	0
<u>Goods Purchased Code</u>	<u>Description</u>	<u>F/R Wt</u>	<u>Tot Wt</u>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

4x4
plow



HV507 SFA

Sales Proposal For:
TOWN OF ROTTERDAM

Presented By:
H. L. GAGE SALES, INC.

262,271 59

NYS MUNICIPAL QUOTE FORM

CONTRACT# 8996 Heavy/Medium

DATE December 17, 2024

Municipality Town of Rotterdam
Address 54 Duanesburg Road
City Rotterdam, NY 12306

Telephone 518-355-7722
Fax _____
Contact Larry Lamora

Model HV507 Description 4X4 List base price \$ 119,239.00

Chassis Contract Price Factor .70
Subtotal Chassis Contract Price \$ 83,467.30

CONTRACT OPTIONS

MSRP Chassis Options	90,426.00
Tenco Equipment	124,420.00

WARRANTY AND LOCAL PURCHASES

NYS Inspection, P & D, Fire Extinguisher, Triangle Kit, Clean and Deliver	N/C
Pricing Subject to Additional Freight and/or Surcharge	

LETTER, PURCHASE ORDER OR VOUCHER MUST BE MADE OUT TO:

NAVISTAR, INC.
399 Albany Shaker Road
Suite 202
Loudonville, NY 12211


PRICE PACKAGE	\$ 298,313.30
DISCOUNT ON OPTIONS 15%	\$ (13,563.90)
ADDITIONAL DISCOUNT	(22,477.81)
TOTAL DELIVERED PRICE	\$ 262,271.59

WB 185 CA/CT 110 AF 71 RATIO 6.14
 PAINT COLOR Red PAINT CODE# 2303

Prepared For:
TOWN OF ROTTERDAM
Larry Lamora
TOWN HALL
ROTTERDAM, NY 12306-
(518)355 - 0000
Reference ID: N/A

Presented By:
H. L. GAGE SALES, INC.
Mark Rizzo
121 WASHINGTON AVE EXTENSION
ALBANY NY 12205 -
(518)456-8871

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2024 HV507 SFA (HV507)

AXLE CONFIG:	4X4
APPLICATION:	Front Plow and Wing with Spreader
MISSION:	Requested GVWR: 43000. Calc. GVWR: 45120. Calc. GCWR: 80000 Calc. Start / Grade Ability: 31.54% / 3.34% @ 55 MPH Calc. Geared Speed: 65.4 MPH
DIMENSION:	Wheelbase: 185.00, CA: 110.00, Axle to Frame: 71.00
ENGINE, DIESEL:	{Cummins L9 370} EPA 2021, 370HP @ 2100 RPM, 1250 lb-ft Torque @ 1200 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT DRIVING:	{Meritor MX-18-120HR} Single Reduction, 18,000-lb Capacity, with Hub Piloted Wheel Mounting
AXLE, REAR, SINGLE:	{Dana Spicer S30-190D} Single Reduction, 30,000-lb Capacity, Driver Control Locking Differential, W Wheel Ends Gear Ratio: 6.14
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(4) 12R22.5 Load Range H XDN2 (MICHELIN), 483 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs
PAINT:	Cab schematic 100WK Location 1: 2303, Red (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
HV50700	Base Chassis, Model HV507 SFA with 185.00 Wheelbase, 110.00 CA, and 71.00 Axle to Frame.	5783/3857	9640
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8
1572	TOW HOOK, REAR (2)	0/10	10
1ANB	AXLE CONFIGURATION {Navistar} 4x4	183/-106	77
	<u>Notes</u> : Pricing may change if axle configuration is changed.		
1CGE	FRAME RAILS Heat Treated Alloy Steel (125,000 PSI Yield); 11.25" x 4.00" x 0.500" (285.75mm x 101.6mm x 12.7mm); 480.8" (12212mm) Maximum OAL	261/585	846
1LLA	BUMPER, FRONT Swept Back, Steel, Heavy Duty	0/0	0
1MEJ	FRAME DIMPLE Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline	0/0	0
1UAM	FRAME EXTENSION, FRONT Integral; 27" In Front of Grille	106/-16	90
1WDU	CROSSMEMBER, FRONT for Hydraulic Pump, Mounting Flange to Accommodate Pump	41/4	45
1WGG	WHEELBASE RANGE 181" (460cm) Through and Including 205" (520cm)	183/-183	0
1WRN	BRACKET, CAB MOUNT Heavy Duty	14/3	17
2ESP	AXLE, FRONT DRIVING {Meritor MX-18-120HR} Single Reduction, 18,000-lb Capacity, with Hub Piloted Wheel Mounting	1077/0	1077
	<u>Notes</u> : Axle Lead Time is 120 Days		
2WLC	AXLE, FRONT DRIVING, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints	0/0	0
3AGA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers	58/0	58
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6		
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank	2/0	2
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	0/0	0
4EBT	AIR DRYER {Bendix AD-IP} with Heater	11/16	27
4ETG	BRAKE CHAMBERS, FRONT AXLE {MGM} 24 SqIn	5/0	5
4EXT	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 36/36 SqIn Spring Brake	0/23	23

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	1/0	1
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	14/0	14
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	0/16	16
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0
4VGG	AIR DRYER LOCATION Mounted Inside Left Rail, Behind Transfer Case Mounting	4/6	10
4VKJ	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail	-16/24	8
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/10	10
4XCZ	BRAKES, REAR {Meritor 16.5X7 P} Air S-Cam Type, Cast Spider, Cast Shoe, Double Anchor Pin, Includes Greaseable and Zinc Coated Anchor Pins, Size 16.5" X 7", 38,000-lb Capacity per Axle	0/106	106
4XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity	33/0	33
5710	STEERING COLUMN Tilting and Telescoping	16/3	19
5CBE	STEERING WHEEL 4-Spoke; 18" Dia., Black Leather Wrapped	1/0	1
5PUD	STEERING GEAR (2) {Sheppard M110/M90} Dual Power	145/-8	137
6DHK	DRIVELINE SYSTEM {Dana Spicer} SPL170 Main Driveline, 1710 Driveline to Transfer Case, SPL140 Driveline to Front Axle, for 4x4	8/30	38
7BEU	AFTERTREATMENT COVER Aluminum	8/3	11
7BMA	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab, for All-Wheel Drive	132/50	182
7SDP	ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch	40/8	48
7WBA	TAIL PIPE (1) Turnback Type, Bright	5/4	9
7WDM	EXHAUST HEIGHT 10'	15/12	27
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	9/7	16
7WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	2/0	2
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0
	<u>Includes</u>		
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab		
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel		
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever		
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light		
	: STARTER SWITCH Electric, Key Operated		
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector		
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature		

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered		
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1
8695	SNOW SHIELD (2) Chrome; for Dual Air Horns	2/0	2
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	0/0	0
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2
8HXT	HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord	0/0	0
8MJU	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud	35/40	75
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	5/3	8
8RPP	ANTENNA Shark Fin, Roof Mounted	1/0	1
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3
8TMG	TRAILER CONNECTION SOCKET {Phillips} 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers with Combined Stop, Tail, Turn Lamps	0/7	7
8TMH	SWITCH, AUXILIARY Accessory Control; for Wiring in Roof, with Maximum of 20 amp Load with Switches In Instrument Panel	1/0	1
8TNP	AUXILIARY HARNESS 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	3/0	3
8TNR	BATTERY CABLES with 36" of Extra Length Coiled and Strapped Near Battery Box	2/0	2
8VAY	HORN, ELECTRIC Disc Style	0/0	0
8VZR	SWITCH, BODY CIRCUITS, MID with Remote Power Module Mounted in Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches	1/0	1
8WCK	POWER SOURCE, TERMINAL TYPE 2-Post	1/0	1
8WEJ	BATTERY BOX Steel, with Fiberglass Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 35" Back of Cab	-43/20	-23
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
8WTK	STARTING MOTOR (Delco Remy 38MT Type 300) 12 Volt, Less Thermal Over-Crank Protection	8/1	9
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	0/0	0
8XHD	BATTERY DISCONNECT SWITCH 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Cab Mounted	2/0	2
8XKY	USB PORT (1) Located in the Instrument Panel	0/0	0
8XNZ	HEADLIGHTS Halogen, with Daytime Running Lights	0/0	0
9585	FENDER EXTENSIONS Rubber	6/0	6
9AAB	LOGOS EXTERIOR Model Badges	0/0	0
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0
9ANG	HOOD, HATCH (01) for Servicing	5/0	5
9HAN	INSULATION, UNDER HOOD for Sound Abatement	10/0	10
9HBM	GRILLE Stationary, Chrome	0/0	0
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	2/0	2
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	0/0	0
10021	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WK"		
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	1/0	1
10BAE	LABEL, DEF "DEF ONLY"	0/0	0
10NZX	CUSTOMER IDENTITY for Viking-Cives	0/0	0
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0
11001	CLUTCH Omit Item (Clutch & Control)	0/0	0
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines	3/0	3
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door		
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	10/0	10

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
12ESR	ENGINE, DIESEL {Cummins L9 370} EPA 2021, 370HP @ 2100 RPM, 1250 lb-ft Torque @ 1200 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)	560/4	564
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	0/0	0
12UWZ	RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	23/-5	18
12VAL	AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control	6/0	6
12VJH	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2023	0/0	0
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	0/0	0
12VYP	ENGINE CONTROL, REMOTE MOUNTED No Provision for Remote Mounted Engine Control	0/0	0
12WBR	FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	0/0	0
12WCG	HOSE CLAMPS, RADIATOR HOSES {R.G. Ray Mini Flex Seal} Coil Spring/"T"-Bolt Constant Torque Type, for Radiator Hoses over 1" I.D.	0/0	0
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	0/0	0
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	0/0	0
13BCS	TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	209/74	283
13TKK	TRANSFER CASE {Meritor MTC-4210} 2-Speed, 10,000 lb-ft Torque Rating, Less PTO Provision, Electric Over Air Control, with Lube Pump	352/440	792
13WAW	OIL COOLER, TRANSMISSION {Modine} Water to Oil Type	25/0	25
13WDB	TRANSFER CASE LUBE {EmGard 50W} Synthetic; 1 thru 14.99 Pints	0/0	0
13WDT	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, 3 Speed S1 Secondary Shift Schedule for 5 or 6 Speed	0/0	0
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1
13WGC	OIL COOLER, TRANSFER CASE with Oil Coolant Lines Routed to Oil Cooler	6/1	7
13WGH	TRANSMISSION DIPSTICK Relocated to Right Side of Transmission	1/0	1

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
13WGK	TRANSMISSION COOLER HOSES Stainless Steel	0/0	0
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	0
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	0/0	0
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0
13XAM	PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission	0/0	0
14AHJ	AXLE, REAR, SINGLE {Dana Spicer S30-190D} Single Reduction, 30,000-lb Capacity, Driver Control Locking Differential, W Wheel Ends . Gear Ratio: 6.14	0/358	358
14SAL	SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs	0/177	177
14WAP	SHOCK ABSORBERS, REAR (2)	0/45	45
14WMH	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 40 thru 49.99 Pints	0/0	0
15924	FUEL TANK STRAPS Bright Finish Stainless Steel	0/0	0
15DYP	DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab	13/4	17
15LNS	FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine	-1/-4	-5
15SJZ	FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	14/10	24
16030	CAB Conventional, Day Cab	0/0	0
16BAM	AIR CONDITIONER with Integral Heater and Defroster	0/0	0
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/ Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)	0/0	0
16GHU	GRAB HANDLE, CAB INTERIOR (2) Safety Yellow	0/0	0
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster	0/0	0
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	1/0	1
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	2/0	2

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	0/0	0
16PPN	SEAT, PASSENGER {National 2000} Air-Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Dual Shocks	64/28	92
16SGH	GRAB HANDLE, EXTERIOR (2) Chrome, for Cab Entry, (1) Towel Bar Type, with Anti-Slip Rubber Inserts Mounted Left Side at B-Pillar, (1) Towel Bar Type Mounted Right Side on Vertical Exhaust	4/2	6
16SJW	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Black, Heated, 7.5" Sq.	9/0	9
16SNP	MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	0/0	0
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"		
16VKB	CAB INTERIOR TRIM Classic, for Day Cab	0/0	0
	<u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap		
16VLV	MONITOR, TIRE PRESSURE Omit	-9/-2	-11
16VSL	WINDSHIELD Heated, Single Piece	0/0	0
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3
16WBZ	ARM REST, LEFT, PASSENGER SEAT	3/0	3
16WEE	CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator	12/0	12
16WHJ	HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type	0/0	0
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	0/0	0
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	0/0	0
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0
16XCM	CAB DOOR LOCKS Power, Driver Side Only; Non-Locking When Door Open	0/0	0
16XCW	CAB, INTERIOR TRIM, CLOSEOUT Under IP, Driver Side	0/0	0
16XJN	INSTRUMENT PANEL Flat Panel	0/0	0
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights	14/3	17
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
16XWY	WINDSHIELD WASHER RESERVOIR Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side	0/0	0
16ZJA	ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab	-11/-3	-14
27DPN	WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	62/0	62
28DTT	WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs	0/28	28
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	0/0	0
29WAR	WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels	0/0	0
7482153264	(4) TIRE, REAR 12R22.5 Load Range H XDN2 (MICHELIN), 483 rev/mile, 75 MPH, Drive	0/68	68
7792545437	(2) TIRE, FRONT 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position	62/0	62
OBD003	MISCELLANEOUS 12ESR ENGINE, DIESEL {Cummins L9 370} EPA 2021, 370HP @ 2100 RPM, 1250 lb-ft Torque @ 1200 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max) - PLACE HOLDER	0/0	0
OBD004	MISCELLANEOUS SQ	0/0	0
Services Section:			
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	0/0	0
40VHX	SRV CONTRACT, EXT CMS ENG/AFTR {Cummins} To 72-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only)	0/0	0
Total Component Weight:		9652/5766 (lbs)	15418 (lbs)
1	Stainless Steel Oil Pan	0/0	0
Total Body Allied:		0/0 (lbs)	0 (lbs)

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

Packer



HV607 SBA

Sales Proposal For:
TOWN OF ROTTERDAM

Presented By:
H. L. GAGE SALES, INC.

\$ 192,978 ⁰⁹

NYS MUNICIPAL QUOTE FORM

CONTRACT# 8996 Heavy/Medium

DATE December 17, 2024

Municipality Town of Rotterdam
Address 54 Duanesburg Road
City Rotterdam, NY 12306

Telephone 518-355-7722
Fax _____
Contact Larry Lamora

Model HV607 Description Refuse Truck List base price \$ 119,239.00

Chassis Contract Price Factor .70
Subtotal Chassis Contract Price \$ 83,467.30

CONTRACT OPTIONS

MSRP Chassis Options	41,357.00
Tenco Equipment	81,898.00

WARRANTY AND LOCAL PURCHASES

NYS Inspection, P & D, Fire Extinguisher, Triangle Kit, Clean and Deliver	N/C
Pricing Subject to Additional Freight and/or Surcharge	

LETTER, PURCHASE ORDER OR VOUCHER MUST BE MADE OUT TO:

NAVISTAR, INC.
399 Albany Shaker Road
Suite 202
Loudonville, NY 12211


PRICE PACKAGE	\$ 206,722.30
DISCOUNT ON OPTIONS 15%	\$ (6,203.55)
ADDITIONAL DISCOUNT	(7,540.66)
TOTAL DELIVERED PRICE	\$ 192,978.09

WB 209 CA/CT 141.9 AF 69 RATIO 5.57
 PAINT COLOR Red PAINT CODE# 2303

Prepared For:
TOWN OF ROTTERDAM
Larry Lamora
TOWN HALL
ROTTERDAM, NY 12306-
(518)355 - 0000
Reference ID: N/A

Presented By:
H. L. GAGE SALES, INC.
Mark Rizzo
121 WASHINGTON AVE EXTENSION
ALBANY NY 12205 -
(518)456-8871

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2024 HV607 SBA (HV607)

AXLE CONFIG:	4X2
APPLICATION:	Rear Loader
MISSION:	Requested GVWR: 35000. Calc. GVWR: 40000. Calc. GCWR: 80000 Calc. Start / Grade Ability: 34.09% / 3.78% @ 55 MPH Calc. Geared Speed: 76.1 MPH
DIMENSION:	Wheelbase: 209.00, CA: 141.90, Axle to Frame: 69.00
ENGINE, DIESEL:	{Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 62,000-lb GVW Max, Refuse/Mixer Omit Item (Clutch & Control)
CLUTCH:	{Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity
AXLE, FRONT NON-DRIVING:	{Dana Spicer S26-190D} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends Gear Ratio: 5.57
AXLE, REAR, SINGLE:	
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 12R22.5 Load Range H ENDURANCE RSA (GOODYEAR), 482 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(4) 12R22.5 Load Range H HDC1 (CONTINENTAL), 479 rev/mile, 68 MPH, Drive
SUSPENSION, REAR, SINGLE:	31,000-lb Capacity, Vari-Rate Springs, with (3) Torque Rods
PAINT:	Cab schematic 100WL Location 1: 2303, Red (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
HV60700	Base Chassis, Model HV607 SBA with 209.00 Wheelbase, 141.90 CA, and 69.00 Axle to Frame.	6136/3644	9780
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8
1ANA	AXLE CONFIGURATION {Navistar} 4x2	-50/-85	-135
	<u>Notes</u> : Pricing may change if axle configuration is changed.		
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	217/439	656
1LLA	BUMPER, FRONT Swept Back, Steel, Heavy Duty	0/0	0
1WGS	WHEELBASE RANGE 189" (480cm) Through and Including 256" (650cm)	271/-271	0
2ARV	AXLE, FRONT NON-DRIVING {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity	60/0	60
3770	SPRINGS, FRONT AUXILIARY Rubber	10/0	10
3ADD	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers	44/0	44
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/6x6		
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	0/0	0
4EBT	AIR DRYER {Bendix AD-IP} with Heater	14/13	27
4ETG	BRAKE CHAMBERS, FRONT AXLE {MGM} 24 SqIn	5/0	5
4EVH	BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 SqIn Spring Brake	0/9	9
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	1/0	1
4LAG	SLACK ADJUSTERS, FRONT {Gunitite} Automatic	14/0	14
4LGG	SLACK ADJUSTERS, REAR {Gunitite} Automatic	0/14	14
4LGR	SLACK ADJUSTER PINS Stainless Steel Slack Adjuster Pins/Cotter Pins on Front and Rear	0/0	0
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0
4VGN	AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports	-13/-3	-16
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	15/6	21

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
4VKK	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail	-11/17	6
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10
4WDA	DRAIN VALVE (3) Petcocks, for Air Tanks	0/0	0
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/10	10
4XCZ	BRAKES, REAR {Meritor 16.5X7 P} Air S-Cam Type, Cast Spider, Cast Shoe, Double Anchor Pin, Includes Greaseable and Zinc Coated Anchor Pins, Size 16.5" X 7", 38,000-lb Capacity per Axle	0/106	106
4XDP	BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity	-23/0	-23
5710	STEERING COLUMN Tilting and Telescoping	17/2	19
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0
5PSA	STEERING GEAR {Sheppard M100} Power	0/0	0
6DGC	DRIVELINE SYSTEM {Dana Spicer} SPL170, for 4x2/6x2	6/32	38
7BEV	AFTERTREATMENT COVER Steel, Black	11/2	13
7BLW	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	141/36	177
7SDP	ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch	43/5	48
7WAZ	TAIL PIPE (1) Turnback Type	7/3	10
7WDM	EXHAUST HEIGHT 10'	18/10	28
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	10/6	16
7WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	2/0	2
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0
	<u>Includes</u>		
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab		
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel		
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever		
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light		
	: STARTER SWITCH Electric, Key Operated		
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector		
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature		
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever		
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted		
	: WIRING, CHASSIS Color Coded and Continuously Numbered		
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1
8541	HORN, ELECTRIC (2) Disc Style	1/0	1

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
8695	SNOW SHIELD (2) Chrome; for Dual Air Horns	2/0	2
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	0/0	0
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2
8HXT	HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord	0/0	0
8MJU	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud	42/32	74
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	6/2	8
8RPP	ANTENNA Shark Fin, Roof Mounted	1/0	1
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3
8TMH	SWITCH, AUXILIARY Accessory Control; for Wiring in Roof, with Maximum of 20 amp Load with Switches in Instrument Panel	1/0	1
8TNR	BATTERY CABLES with 36" of Extra Length Coiled and Strapped Near Battery Box	2/0	2
8VUJ	BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	-33/10	-23
8WCK	POWER SOURCE, TERMINAL TYPE 2-Post	1/0	1
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	10/0	10
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	0/0	0
8XHD	BATTERY DISCONNECT SWITCH 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Cab Mounted	2/0	2
8XKY	USB PORT (1) Located in the Instrument Panel	0/0	0
8XNZ	HEADLIGHTS Halogen, with Daytime Running Lights	0/0	0
9585	FENDER EXTENSIONS Rubber	6/0	6
9AAB	LOGOS EXTERIOR Model Badges	0/0	0
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
9HAN	INSULATION, UNDER HOOD for Sound Abatement	10/0	10
9HBM	GRILLE Stationary, Chrome	0/0	0
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	2/0	2
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	0/0	0
10021	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WL"		
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	1/0	1
10BAE	LABEL, DEF "DEF ONLY"	0/0	0
10RHG	DUAL DRIVE Customer Does Not Intend to Convert to In-Cab Dual Drive Positions	0/0	0
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0
11001	CLUTCH Omit Item (Clutch & Control)	0/0	0
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines	3/0	3
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door		
12ESN	ENGINE, DIESEL {Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)	581/-17	564
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed	0/0	0
	<u>Includes</u> : FAN Nylon		
12UWY	RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler	0/0	0
	<u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber		
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control	2/0	2
12VJH	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2023	0/0	0
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
12WBR	FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	0/0	0
12WCG	HOSE CLAMPS, RADIATOR HOSES {R.G. Ray Mini Flex Seal} Coil Spring/"T"-Bolt Constant Torque Type, for Radiator Hoses over 1" I.D.	0/0	0
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	0/0	0
12XBM	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines	0/0	0
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	0/0	0
13BCR	TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 62,000-lb GVW Max, Refuse/Mixer	229/54	283
13WAW	OIL COOLER, TRANSMISSION {Modine} Water to Oil Type	25/0	25
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1
13WGH	TRANSMISSION DIPSTICK Relocated to Right Side of Transmission	1/0	1
13W GK	TRANSMISSION COOLER HOSES Stainless Steel	0/0	0
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0
13WUJ	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS), Front Loaders, Rear Loaders, Recycling/Packer Trucks, Package Number 142	0/0	0
13WVW	NEUTRAL AT STOP OMIT	0/0	0
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	0/0	0
13XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring	3/0	3
13XAM	PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission	0/0	0
14AHL	AXLE, REAR, SINGLE {Dana Spicer S26-190D} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends . Gear Ratio: 5.57	0/338	338
14SCD	SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with (3) Torque Rods	0/163	163
14WMG	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 30 thru 39.99 Pints	0/0	0
15924	FUEL TANK STRAPS Bright Finish Stainless Steel	0/0	0
15LNR	FUEL/WATER SEPARATOR {Racor 400 Series} with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine	0/0	0
15SGG	FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab	10/7	17
15WDG	DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
16030	CAB Conventional, Day Cab	0/0	0
16BAM	AIR CONDITIONER with Integral Heater and Defroster	0/0	0
16GED	GAUGE CLUSTER Base Level; English with English Electronic Speedometer	0/0	0
	<u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/ Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)		
16GHU	GRAB HANDLE, CAB INTERIOR (2) Safety Yellow	0/0	0
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster	0/0	0
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	1/0	1
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	2/0	2
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	0/0	0
16SGH	GRAB HANDLE, EXTERIOR (2) Chrome, for Cab Entry, (1) Towel Bar Type, with Anti-Slip Rubber Inserts Mounted Left Side at B-Pillar, (1) Towel Bar Type Mounted Right Side on Vertical Exhaust	4/2	6
16SJW	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Black, Heated, 7.5" Sq.	9/0	9
16SMH	SEAT, TWO-MAN PASSENGER {National} Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, with Under Seat Storage Compartment	44/27	71
16SNP	MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	0/0	0
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"		
16VKB	CAB INTERIOR TRIM Classic, for Day Cab	0/0	0
	<u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap		
16VLV	MONITOR, TIRE PRESSURE Omit	-10/-1	-11
16VSL	WINDSHIELD Heated, Single Piece	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3
16WEE	CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator	12/0	12
16WHJ	HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type	0/0	0
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	0/0	0
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	0/0	0
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0
16XCM	CAB DOOR LOCKS Power, Driver Side Only; Non-Locking When Door Open	0/0	0
16XCW	CAB, INTERIOR TRIM, CLOSEOUT Under IP, Driver Side	0/0	0
16XJN	INSTRUMENT PANEL Flat Panel	0/0	0
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights	15/2	17
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2
16XWY	WINDSHIELD WASHER RESERVOIR Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side	0/0	0
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab	0/0	0
27DPN	WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	62/0	62
28DTT	WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs	0/28	28
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	0/0	0
29WAR	WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels	0/0	0
7382158132	(2) TIRE, FRONT 12R22.5 Load Range H ENDURANCE RSA (GOODYEAR), 482 rev/mile, 75 MPH, All-Position	22/0	22
7392155420	(4) TIRE, REAR 12R22.5 Load Range H HDC1 (CONTINENTAL), 479 rev/mile, 68 MPH, Drive	0/84	84
Services Section:			
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	0/0	0
40VHX	SRV CONTRACT, EXT CMS ENG/AFTR {Cummins} To 72-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only)	0/0	0
Total Component Weight:		8049/4729 (lbs)	12778 (lbs)
1	Stainless Steel Oil Pan	0/0	0

LIMITED WARRANTY FOR HV MODELS

HV507 & HV607

*Effective with vehicles built July 01, 2017 or later

BASIC VEHICLE

Navistar, Inc., at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or ReNEWed® parts, based on the Component Coverages below. Exceptions are listed below:

BASIC VEHICLE COVERAGE	Months	Miles/Km (000)
Basic Vehicle Warranty (See exceptions listed below)	12	Unlimited
Towing (First 90 days see below) (Vehicle Down Situations Only) (See exceptions listed below)	3	Unlimited
Note: Items not listed in warranty exceptions follow base warranty.		
WARRANTY EXCEPTIONS		
CHASSIS COVERAGE	Months	Miles/Km (000)
Frame side rails	84	Unlimited
Cab/cowl structure	60	Unlimited
Cab/cowl perforation corrosion	60	Unlimited
DRIVETRAIN COVERAGE	Months	Miles/Km (000)
Spicer axles, Propeller shaft, Eaton clutch, TTC Transmission	24	Unlimited
Eaton/Fuller Transmission	24	Unlimited
Meritor Axles	24	Unlimited
MISCELLANEOUS COVERAGE	Months	Miles/Km (000)
Batteries	12	Unlimited
Brightwork, Chassis Paint and Corrosion (other than Cab)	6	Unlimited
Hood/Cab Paint	12	Unlimited
FIRST 90 DAYS FROM DELIVERY TO USER (DTU)		
Correction of loose fasteners, squeaks, rattles and unusual noises. Towing (unless specific coverage is stated above). Adjustments and Maintenance (such as aim headlights, adjust brakes/clutch, adjust steering system, check and fill coolant levels).		

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

Components/Items

- Components warranted by their respective manufacturers (such as, non-International® brand engines, tires, Allison Transmissions, lubricants, etc.)
- Bodies, equipment, and accessories installed by other than authorized International® Truck employees at International® Truck manufacturing plants
- Front and rear axle alignment
- Front & Rear axle coverage excludes brakes, wheel ends, axle shafts, controls & attachments.

Repairs & Maintenance

- Maintenance-related items/repairs, or those needed as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension.

Other

- Vehicles sold and/or operated outside the United States and Canada
 - This exception does not apply to vehicles that meet current USA EPA emission standards, which were sold by an International dealer located in Mexico, if the vehicle is authorized by the U.S D.O.T to operate in long-haul, cross border transportation and the vehicle is only operated in the United States, Canada, and Mexico
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by Navistar, Inc

OBTAINING SERVICE

Return this vehicle to any International Truck Dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International Truck Dealer for name and address change information.

Note: The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

DISCLAIMER

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER. No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

Revised 4/1/2019

Telematics Data Disclosure

Your new Navistar vehicle is automatically equipped with Telematics. Navistar, Inc. or its affiliates will collect and send diagnostic and system data from your vehicle and use it for various purposes as further set forth in our Privacy Policy, posted at www.oncommandconnection.com, such as improving uptime for your vehicle, improving our vehicles in the future and reducing warranty events. By accepting this Limited Warranty, you consent to our collection and use of data from your vehicle as set forth at www.oncommandconnection.com on behalf of yourself and any vehicle operators and passengers. Your use and access to any related data subscription service from Navistar, Inc. or its affiliates, such as OnCommandConnection, are subject to additional Terms of Service. You will receive additional information follow purchase regarding any such subscriptions as well as your ability to opt-out of data collection.

RECORD OF OWNERSHIP

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

Customer Signature		Date	
Owner's Address	City	State/Prov	Postal Code
Truck Model	Vehicle Identification Number		
Engine Number	Engine Serial Number		
Date Delivered to User (DTU)		Odometer Reading at Delivery	

IMPORTANT: The information contained in this Warranty Policy explains the coverage provided on your new International® vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.

RESOLUTION NO. 484.24

TO AUTHORIZE THE PURCHASE OF ONE POLICE VEHICLE

THEREFORE, UPON MOTION OF Councilmember _____,

seconded by Councilmember _____,

BE IT RESOLVED BY THE TOWN BOARD AS FOLLOWS:

SECTION 1. The Town Board of the Town of Rotterdam hereby authorizes the acceptance of NYS OGS Vehicle Marketplace mini-bid # 23166-2025-1RPD and the purchase of one 2025 Ford Explorer from Metro Ford Sales, Inc., located at 3601 State Street, Schenectady, NY 12304, with compliance under NYS contract, in the amount of thirty-nine thousand five hundred thirty-five dollars and 68/100 (\$39,535.68), paid for by use of the American Rescue Plan Act funds.

SECTION 2. This resolution shall become effective December 27, 2024.

DATED: December 27, 2024

NAME	AYES	NOES	ABSTAIN
Dodson			
Mastroianni			
Gallucci			
Schlag			
Collins			

TOWN OF ROTTERDAM

John F. Kirvin Government Center • 1100 Sunrise Boulevard • Rotterdam, NY 12306
Telephone: 518-355-7575 • Fax: 518-355-7976 • Website: www.rotterdamny.org



LEGISLATIVE REQUEST FORM

DATE: December 19, 2024
TO: Legislative Review Board
FROM: Deputy Chief William Male
TITLE OF REQUEST: To approve and accept a mini-bid for the purchase of a new police vehicle.

TOWN BOARD MEETING: December 27, 2024

Background Information: A NYS OGS Vehicle Marketplace mini-bid was created in order to purchase a new unmarked Police vehicle. Four bids were received. Metro Ford Sales, Inc. (3601 State St. Schenectady, NY 12304) presented the lowest bid.

Evaluation/Analysis: This unmarked vehicle will replace one of the obsolete vehicles that was taken out of service in 2023.

Recommendation(s): Accept a NYS OGS Vehicle Marketplace mini-bid.

Attachment/Document(s): Memorandum prepared by Lieutenant Farry / mini bid # OGS 23166-2025-1RPD

Compliance with Purchasing Policy: Yes

Effect(s) on Existing Law(s): N/A

LEGISLATION WILL BE PREPARED BY: RPD



ROTTERDAM POLICE DEPARTMENT
ADMINISTRATION
MEMORANDUM



To: Deputy Chief William J. Male

From: Lt. Patrick Farry

Re: Vehicle Purchase

Date: December 3, 2024

As requested I created a NYS OGS Vehicle Marketplace mini bid in order to purchase a new unmarked vehicle. This vehicle will replace one of the obsolete vehicles that were taken out of service last year. The bid was conducted from November 22, 2024 – November 29, 2024. I received four bids. Metro Ford presented the lowest bid at \$39,535.68

Attached to this memorandum are the four bids. Please let me know if you have any questions or concerns.

Group 40440-23166, VEHICLES, Class 1-8 (Vehicle Marketplace)

Form B (Single OEM Vehicle): *Mini-Bid Response*

Form Revision: 9/12/23

Part A: Mini-Bid and Contractor Information

1.0	Mini-Bid Questions	Contractor Response
1.1	Mini-Bid Reference Number (e.g. 12345; see the <i>Mini-Bid Request</i>)	OGS 23166-2025-1RPD
1.2	Is the Mini-Bid for Vehicle(s) to be purchased or leased by the Authorized User? <i>[click on yellow box and use drop-down menu]</i>	Purchased
1.3	Are Vehicle(s) Built to Specifications being offered in response to the Mini-Bid? <i>[click on yellow box and use drop-down menu]</i>	No, Part B of this form has been left blank.
1.4	Are Pre-Existing Inventory Vehicle(s) being offered in response to the Mini-Bid? <i>[click on yellow box and use drop-down menu]</i>	Yes, Part C of this form has been completed.
2.0	Contractor Information	
2.1	Full Legal Business Name, including DBA if applicable	METRO FORD SALES, INC
2.2	OGS Contract Number (e.g., PC12345)	PC68988
2.3	Federal Employer Identification Number / FEIN (e.g. 14-1234567)	14-1619871
2.4	NYS Vendor ID Number (e.g., 1000012345)	1000006901
3.0	Primary Contact Information	
3.1	Contact Name	WILLIAM HEARLEY
3.2	Contact Email	BILL@METROFORDNY.COM
3.3	Contact Phone (1)	518.631.6114
3.4	Contact Phone (2)	
4.0	Secondary Contact Information	
4.1	Contact Name	
4.2	Contact Email	
4.3	Contact Phone (1)	
4.4	Contact Phone (2)	

Part B: Vehicle(s) Built to Specifications offered for Mini-Bid

1.0	General Questions (Built to Spec)	Contractor Response
1.1	Does the Vehicle offered meet all Authorized User Specifications for the requested Vehicle? <i>[Note: General specifications, and an "Additional Vehicle Specifications Document(s)" are included with each Mini-Bid Request]</i>	
1.2	Enter the estimated number of days after receipt of a Purchase Order, or other ordering document, that the delivery will be made.	
1.3	Enter the Final Order Due Date for the Vehicle offered for the Mini-Bid, or "TBA" if the date has not been announced by the manufacturer.	
2.0	Vehicle Offered (Built to Spec)	
2.1	Model Year (e.g., 2023, 2024)	
2.2	Make (e.g., Ford, Chevrolet, Dodge)	
2.3	Model (e.g., Taurus, Tahoe, Grand Caravan), and Trim Level (e.g., SE, LE, XL)	
2.4	Model Code (the OEM code used to identify a particular subset of a Vehicle Model)	
2.5	Drive Type <i>[click on yellow box and use drop-down menu]</i>	
	If the offered Drive Type is not included in the drop-down menu, enter it here	
2.6	Fuel Type <i>[click on yellow box and use drop-down menu]</i>	
	If the offered Fuel Type is not included in the drop-down menu, enter it here	
2.7	Enter the vendor business name(s) of the Aftermarket Components Provider(s), if applicable. If not applicable, enter "N/A".	
3.0	Additional Information (Built to Spec)	
3.1	If applicable, enter any deviations from the Authorized User Specifications, or other additional information applicable to this Mini-Bid. Bidders are strongly encouraged to submit proposed deviations to the Authorized User by email prior to the Mini-Bid Response Due Date, so that they may be given due consideration prior to the submission of Bids. Do not enter information about Options or Aftermarket Components available for the Vehicle offered, unless it has been included in the Authorized User Specifications. If not applicable, enter "N/A".	
Award	23166	Bidder

4.0	Vehicle Price Worksheet (Built to Spec)	Price
4.1	NYS Base MSRP	
4.2	NYS Discount [Type a number only (e.g., 5.5); Do not type a percentage sign (%) after the number; For 5.5% type 5.5, not 0.055].	
4.3	NYS Base Price [Automatically calculated: NYS Base MSRP minus NYS Discount]	\$0.00
4.4	NYS Aftermarket Components Price [If there are no Aftermarket Components, leave blank]	
4.5	NYS Price for the Vehicle [Automatically calculated: NYS Base Price plus NYS Aftermarket Component Price]	\$0.00
4.6	Number of Vehicles [This quantity must match the Number of Vehicles specified by the Authorized User in the Mini-Bid Request]	
4.7	Total Price for Mini-Bid [Automatically calculated: NYS Price for the Vehicle multiplied by Total Number of Vehicles]	Enter Pricing

Part C: Pre-Existing Inventory Vehicle(s) offered for Mini-Bid

1.0	General Questions (Pre-Existing)	Contractor Response
1.1	Do the Vehicle(s) offered meet all Authorized User Specifications for the requested Vehicle? [click on yellow box and use drop-down menu] (Note: General specifications, and an "Additional Vehicle Specifications Document" are included with each Mini-Bid Request. A Vehicle offered that does not meet all Authorized User Specifications may be deemed non-responsive and may be rejected).	Yes
1.2	Will the Vehicle(s) and pricing offered for the Mini-Bid Response remain firm and not be withdrawn for at least ten (10) calendar days from the first business day immediately following the Mini-Bid response submittal deadline, or such other period of time as specified in the Mini-Bid Request, in accordance with the Contract (see Section 2.42 Procurement Method, Paragraph G Timeframe for Offers in Mini-Bids)? [click on yellow box and use drop-down menu]	Yes
2.0	Additional Information (Pre-Existing)	
2.1	If applicable, enter any deviations from the Authorized User Specifications, or other additional information applicable to this Mini-Bid. Bidders are strongly encouraged to submit proposed deviations to the Authorized User by email prior to the Mini-Bid Response Due Date, so that they may be given due consideration prior to the submission of Bids. Do not enter information about Options or Aftermarket Components available for the Vehicle offered, unless it has been included in the Authorized User Specifications. If not applicable, enter "N/A".	
3.0	Vehicle Price Worksheet (Pre-Existing)	

[If more than fifteen (15) Pre-Existing Inventory Vehicles are being offered for a Mini-Bid, submit an additional completed Form B (Single OEM Vehicle): Mini-Bid Response form for the Mini-Bid. Submit both Form Bs following the instructions at the top of this Form, using the following naming convention for the additional Form B "OGS 23166-XXXXXXX-PC12345-Additional Vehicles" (i.e., OGS Award#-Mini-Bid Reference#-Contract#-Additional Vehicles)].

Ref. #	Model Year	Make	Model and Trim Level	Model Code	Exterior Color	Interior Color
(Example)	2023	Chevrolet	Traverse	CV14526	Blue Metallic	Dark Titanium
001	2025	FORD	EXPLORER ACTIVE	K8D	INGOT SILVER	DARK SPACE GRAY
002						
003						
004						
005						
006						
007						
008						
009						
010						
011						
012						
013						
014						
015						

[If more than fifteen (15) Pre-Existing Inventory Vehicles are being offered for a Mini-Bid, submit an additional completed Form B (Single OEM Vehicle): Mini-Bid Response form for the Mini-Bid. Submit both Form Bs following the instructions at the top of this Form, using the following naming convention for the additional Form B "OGS 23166-XXXXXXXX-PC12345-Additional Vehicles" (i.e., OGS Award#-Mini-Bid Reference#-Contract#-Additional Vehicles)].

Ref. #	Model Year	Make	Model and Trim Level	Model Code	Exterior Color	Interior Color	Seat Fabric	Drive Type	Fuel Type	NYS Base MSRP	NYS Discount	NYS Base Price	NYS Aftermarket Components Price	NYS Price for Vehicle
(Example)	2023	Chevrolet	Traverse	CV14526	Blue Metallic	Dark Titanium	Cloth	FWD	Gasoline	\$41,500.00	5.00	\$39,425.00	\$1,500.00	\$40,925.00
001	2025	FORD	EXPLORER ACTIVE	K8D	INGOT SILVER	DARK SPACE GRAY	CLOTH	4WD	GASOLINE	\$43,610.00	11.20	\$38,725.68	\$810.00	\$39,535.68
002														
003														
004														
005														
006														
007														
008														
009														
010														
011														
012														
013														
014														
015														
Total Price for Mini-Bid													\$39,535.68	
Total Pre-Existing Vehicles Offered													1	

Group 40440-23166, VEHICLES, Class 1-8 (Vehicle Marketplace)

Form B (Single OEM Vehicle): *Mini-Bid Response*

Form Revision: 9/12/23

Part A: Mini-Bid and Contractor Information

1.0	Mini-Bid Questions	Contractor Response
1.1	Mini-Bid Reference Number (e.g. 12345; see the <i>Mini-Bid Request</i>)	2025 1 RFD
1.2	Is the Mini-Bid for Vehicle(s) to be purchased or leased by the Authorized User? [click on yellow box and use drop-down menu]	Purchased
1.3	Are Vehicle(s) Built to Specifications being offered in response to the Mini-Bid? [click on yellow box and use drop-down menu]	No, Part B of this form has been left blank.
1.4	Are Pre-Existing Inventory Vehicle(s) being offered in response to the Mini-Bid? [click on yellow box and use drop-down menu]	Yes, Part C of this form has been completed.
2.0	Contractor Information	
2.1	Full Legal Business Name, including DBA if applicable	DELACY FORD
2.2	OGS Contract Number (e.g., PC12345)	PC68978
2.3	Federal Employer Identification Number / FEIN (e.g. 14-1234567)	16-1158324
2.4	NYS Vendor ID Number (e.g., 1000012345)	
3.0	Primary Contact Information	
3.1	Contact Name	MARK MOSCATO
3.2	Contact Email	MMOSCATO@DELACYFORD.COM
3.3	Contact Phone (1)	7166681200 X109
3.4	Contact Phone (2)	
4.0	Secondary Contact Information	
4.1	Contact Name	
4.2	Contact Email	
4.3	Contact Phone (1)	
4.4	Contact Phone (2)	

Part B: Vehicle(s) Built to Specifications offered for Mini-Bid

1.0	General Questions (Built to Spec)	Contractor Response
1.1	Does the Vehicle offered meet all Authorized User Specifications for the requested Vehicle? [Note: General specifications, and an "Additional Vehicle Specifications Document(s)" are included with each Mini-Bid Request]	
1.2	Enter the estimated number of days after receipt of a Purchase Order, or other ordering document, that the delivery will be made.	
1.3	Enter the Final Order Due Date for the Vehicle offered for the Mini-Bid, or "TBA" if the date has not been announced by the manufacturer.	
2.0	Vehicle Offered (Built to Spec)	
2.1	Model Year (e.g., 2023, 2024)	
2.2	Make (e.g., Ford, Chevrolet, Dodge)	
2.3	Model (e.g., Taurus, Tahoe, Grand Caravan), and Trim Level (e.g., SE, LE, XL)	
2.4	Model Code (the OEM code used to identify a particular subset of a Vehicle Model)	
2.5	Drive Type [click on yellow box and use drop-down menu]	
	If the offered Drive Type is not included in the drop-down menu, enter it here	
2.6	Fuel Type [click on yellow box and use drop-down menu]	
	If the offered Fuel Type is not included in the drop-down menu, enter it here	
2.7	Enter the vendor business name(s) of the Aftermarket Components Provider(s), if applicable. If not applicable, enter "N/A".	
3.0	Additional Information (Built to Spec)	
3.1	If applicable, enter any deviations from the Authorized User Specifications, or other additional information applicable to this Mini-Bid. Bidders are strongly encouraged to submit proposed deviations to the Authorized User by email prior to the Mini-Bid Response Due Date, so that they may be given due consideration prior to the submission of Bids. Do not enter information about Options or Aftermarket Components available for the Vehicle offered, unless it has been included in the Authorized User Specifications. If not applicable, enter "N/A".	
Award	23166	Bidder

4.0	Vehicle Price Worksheet (Built to Spec)	Price
4.1	NYS Base MSRP	
4.2	NYS Discount [Type a number only (e.g., 5.5); Do not type a percentage sign (%) after the number; For 5.5% type 5.5, not 0.055].	
4.3	NYS Base Price [Automatically calculated: NYS Base MSRP minus NYS Discount]	\$0.00
4.4	NYS Aftermarket Components Price [If there are no Aftermarket Components, leave blank]	
4.5	NYS Price for the Vehicle [Automatically calculated: NYS Base Price plus NYS Aftermarket Component Price]	\$0.00
4.6	Number of Vehicles [This quantity must match the Number of Vehicles specified by the Authorized User in the Mini-Bid Request]	
4.7	Total Price for Mini-Bid [Automatically calculated: NYS Price for the Vehicle multiplied by Total Number of Vehicles]	Enter Pricing

Part C: Pre-Existing Inventory Vehicle(s) offered for Mini-Bid

1.0	General Questions (Pre-Existing)	Contractor Response
1.1	Do the Vehicle(s) offered meet all Authorized User Specifications for the requested Vehicle? [click on yellow box and use drop-down menu] (Note: General specifications, and an "Additional Vehicle Specifications Document" are included with each Mini-Bid Request. A Vehicle offered that does not meet all Authorized User Specifications may be deemed non-responsive and may be rejected).	Yes
1.2	Will the Vehicle(s) and pricing offered for the Mini-Bid Response remain firm and not be withdrawn for at least ten (10) calendar days from the first business day immediately following the Mini-Bid response submittal deadline, or such other period of time as specified in the Mini-Bid Request, in accordance with the Contract (see Section 2.42 Procurement Method, Paragraph G Timeframe for Offers in Mini-Bids)? [click on yellow box and use drop-down menu]	Yes
2.0	Additional Information (Pre-Existing)	
2.1	If applicable, enter any deviations from the Authorized User Specifications, or other additional information applicable to this Mini-Bid. Bidders are strongly encouraged to submit proposed deviations to the Authorized User by email prior to the Mini-Bid Response Due Date, so that they may be given due consideration prior to the submission of Bids. Do not enter information about Options or Aftermarket Components available for the Vehicle offered, unless it has been included in the Authorized User Specifications. If not applicable, enter "N/A".	
	SPECS ATTACHED	
3.0	Vehicle Price Worksheet (Pre-Existing)	

[If more than fifteen (15) Pre-Existing Inventory Vehicles are being offered for a Mini-Bid, submit an additional completed Form B (Single OEM Vehicle): Mini-Bid Response form for the Mini-Bid. Submit both Form Bs following the instructions at the top of this Form, using the following naming convention for the additional Form B "OGS 23166-XXXXXXX-PC12345-Additional Vehicles" (i.e., OGS Award#-Mini-Bid Reference#-Contract#-Additional Vehicles)].

Ref. #	Model Year	Make	Model and Trim Level	Model Code	Exterior Color	Interior Color
(Example)	2023	Chevrolet	Traverse	CV14526	Blue Metallic	Dark Titanium
001	2025	FORD	EXPLORER ACTIVE	K8D	SILVER	GRAY
002						
003						
004						
005						
006						
007						
008						
009						
010						
011						
012						
013						
014						
015						

[If more than fifteen (15) Pre-Existing Inventory Vehicles are being offered for a Mini-Bid, submit an additional completed Form B (Single OEM Vehicle): Mini-Bid Response form for the Mini-Bid. Submit both Form Bs following the instructions at the top of this Form, using the following naming convention for the additional Form B "OGS 23166-XXXXXXXX-PC12345-Additional Vehicles" (i.e., OGS Award#-Mini-Bid Reference#-Contract#-Additional Vehicles)].

Ref. #	Model Year	Make	Model and Trim Level	Model Code	Exterior Color	Interior Color	Seat Fabric	Drive Type	Fuel Type	NYS Base MSRP	NYS Discount	NYS Base Price	NYS Aftermarket Components Price	NYS Price for Vehicle
(Example)	2023	Chevrolet	Traverse	CV14526	Blue Metallic	Dark Titanium	Cloth	FWD	Gasoline	\$41,500.00	5.00	\$39,425.00	\$1,500.00	\$40,925.00
001	2025	FORD	EXPLORER ACTIVE	K8D	SILVER	GRAY	Cloth	AWD	Gasoline	\$43,650.00	4.20	\$41,816.70		\$41,816.70
002														
003														
004														
005														
006														
007														
008														
009														
010														
011														
012														
013														
014														
015														
												Total Price for Mini-Bid		\$41,816.70
												Total Pre-Existing Vehicles Offered		1

Group 40440-23166, VEHICLES, Class 1-8 (Vehicle Ma

Form B (Single OEM Vehicle): *Mini-Bid Respor*

Form Revision: 9/12/23

Part A: Mini-Bid and Contractor Information

1.0	Mini-Bid Questions	Contractor Resp
1.1	Mini-Bid Reference Number (e.g. 12345; see the <i>Mini-Bid Request</i>)	2025-1 RPD Ford E
1.2	Is the Mini-Bid for Vehicle(s) to be purchased or leased by the Authorized User? <i>[click on yellow box and use drop-down menu]</i>	Purchased
1.3	Are Vehicle(s) Built to Specifications being offered in response to the Mini-Bid? <i>[click on yellow box and use drop-down menu]</i>	No, Part B of this f
1.4	Are Pre-Existing Inventory Vehicle(s) being offered in response to the Mini-Bid? <i>[click on yellow box and use drop-down menu]</i>	Yes, Part C of this
2.0	Contractor Information	
2.1	Full Legal Business Name, including DBA if applicable	Scorpio Motors LLC
2.2	OGS Contract Number (e.g., PC12345)	PC69492
2.3	Federal Employer Identification Number / FEIN (e.g. 14-1234567)	86-2135447
2.4	NYS Vendor ID Number (e.g., 1000012345)	1100263134
3.0	Primary Contact Information	
3.1	Contact Name	Mark Robillard
3.2	Contact Email	mrobillard@greenw
3.3	Contact Phone (1)	518-247-6973
3.4	Contact Phone (2)	518-692-2246
4.0	Secondary Contact Information	
4.1	Contact Name	Dan Forant
4.2	Contact Email	drforant@greenwicl
4.3	Contact Phone (1)	518-247-6941
4.4	Contact Phone (2)	518-692-2246

Part B: Vehicle(s) Built to Specifications offered for Mini-Bid

1.0	General Questions (Built to Spec)	Contractor Resp
1.1	Does the Vehicle offered meet all Authorized User Specifications for the requested Vehicle? <i>[Note: General specifications, and an "Additional Vehicle Specifications Document(s)" are included with each Mini-Bid Request]</i>	
1.2	Enter the estimated number of days after receipt of a Purchase Order, or other ordering document, that the delivery will be made.	
1.3	Enter the Final Order Due Date for the Vehicle offered for the Mini-Bid, or "TBA" if the date has not been announced by the manufacturer.	
2.0	Vehicle Offered (Built to Spec)	
2.1	Model Year (e.g., 2023, 2024)	
2.2	Make (e.g., Ford, Chevrolet, Dodge)	
2.3	Model (e.g., Taurus, Tahoe, Grand Caravan), and Trim Level (e.g., SE, LE, XL)	
2.4	Model Code (the OEM code used to identify a particular subset of a Vehicle Model)	
2.5	Drive Type <i>[click on yellow box and use drop-down menu]</i>	
	If the offered Drive Type is not included in the drop-down menu, enter it here	

Award 23166

Bidder

Ref. #	Model Year	Make	Model and Trim Level	Model Code	Exterior Color	Interior Color	Seat Fabric	Drive Type	Fuel Type	NYS Base MSRP	NYS Discount	NYS Base Price	NYS Aftermarket Components Price	NYS Price for Vehicle
(Example)	2023	Chevrolet	Traverse	CV14526	Blue Metallic	Dark Titanium	Cloth	FWD	Gasoline	\$41,500.00	5.00	\$39,425.00	\$1,500.00	\$40,925.00
001	2025	Ford	Explorer Active	K8D	Space White	Gray	Cloth	4WD	Gasoline	\$44,245.00	4.00	\$42,475.20		\$42,475.20
002														
003														
004														
005														
006														
007														
008														
009														
010														
011														
012														
013														
014														
015														
													Total Price for Mini-Bid	\$42,475.20
													Total Pre-Existing Vehicles Offered	1

Group 40440-23166, VEHICLES, Class 1-8 (Vehicle Ma

Form B (Single OEM Vehicle): *Mini-Bid Respor*

Form Revision: 9/12/23

Part A: Mini-Bid and Contractor Information

1.0	Mini-Bid Questions	Contractor Resp
1.1	Mini-Bid Reference Number (e.g. 12345; see the <i>Mini-Bid Request</i>)	2025-1 RPD FORD
1.2	Is the Mini-Bid for Vehicle(s) to be purchased or leased by the Authorized User? <i>[click on yellow box and use drop-down menu]</i>	Purchased
1.3	Are Vehicle(s) Built to Specifications being offered in response to the Mini-Bid? <i>[click on yellow box and use drop-down menu]</i>	No, Part B of this
1.4	Are Pre-Existing Inventory Vehicle(s) being offered in response to the Mini-Bid? <i>[click on yellow box and use drop-down menu]</i>	Yes, Part C of this
2.0	Contractor Information	
2.1	Full Legal Business Name, including DBA if applicable	HOWELL & PIERSE
2.2	OGS Contract Number (e.g., PC12345)	PC68941
2.3	Federal Employer Identification Number / FEIN (e.g. 14-1234567)	14-1288470
2.4	NYS Vendor ID Number (e.g., 1000012345)	1100022298
3.0	Primary Contact Information	
3.1	Contact Name	GEORGE KLINE
3.2	Contact Email	GKLINE@MAINMO
3.3	Contact Phone (1)	518-762-3183 EXT.
3.4	Contact Phone (2)	
4.0	Secondary Contact Information	
4.1	Contact Name	CLARE ECHEVARI
4.2	Contact Email	CLARE@MAINMO
4.3	Contact Phone (1)	518-762-3183 EXT.
4.4	Contact Phone (2)	

Part B: Vehicle(s) Built to Specifications offered for Mini-Bid

1.0	General Questions (Built to Spec)	Contractor Resp
1.1	Does the Vehicle offered meet all Authorized User Specifications for the requested Vehicle? <i>[Note: General specifications, and an "Additional Vehicle Specifications Document(s)" are included with each Mini-Bid Request]</i>	
1.2	Enter the estimated number of days after receipt of a Purchase Order, or other ordering document, that the delivery will be made.	
1.3	Enter the Final Order Due Date for the Vehicle offered for the Mini-Bid, or "TBA" if the date has not been announced by the manufacturer.	
2.0	Vehicle Offered (Built to Spec)	
2.1	Model Year (e.g., 2023, 2024)	
2.2	Make (e.g., Ford, Chevrolet, Dodge)	
2.3	Model (e.g., Taurus, Tahoe, Grand Caravan), and Trim Level (e.g., SE, LE, XL)	
2.4	Model Code (the OEM code used to identify a particular subset of a Vehicle Model)	

Award 23166

Bidder

2.5	Drive Type <i>[click on yellow box and use drop-down menu]</i>	
	If the offered Drive Type is not included in the drop-down menu, enter it here	
2.6	Fuel Type <i>[click on yellow box and use drop-down menu]</i>	
	If the offered Fuel Type is not included in the drop-down menu, enter it here	
2.7	Enter the vendor business name(s) of the Aftermarket Components Provider(s), if applicable. If not applicable, enter "N/A".	
3.0	Additional Information (Built to Spec)	
3.1	If applicable, enter any deviations from the Authorized User Specifications, or other additional information applicable are strongly encouraged to submit proposed deviations to the Authorized User by email prior to the Mini-Bid Request may be given due consideration prior to the submission of Bids. Do not enter information about Options or Aftermarket for the Vehicle offered, unless it has been included in the Authorized User Specifications. If not applicable, enter	
4.0	Vehicle Price Worksheet (Built to Spec)	
4.1	NYS Base MSRP	
4.2	NYS Discount <i>[Type a number only (e.g., 5.5); Do not type a percentage sign (%) after the number; For 5.5% type 5.5, not 0.055].</i>	
4.3	NYS Base Price <i>[Automatically calculated: NYS Base MSRP minus NYS Discount]</i>	
4.4	NYS Aftermarket Components Price <i>[If there are no Aftermarket Components, leave blank]</i>	
4.5	NYS Price for the Vehicle <i>[Automatically calculated: NYS Base Price plus NYS Aftermarket Component Price]</i>	
4.6	Number of Vehicles <i>[This quantity must match the Number of Vehicles specified by the Authorized User in the Mini-Bid Request]</i>	
4.7	Total Price for Mini-Bid <i>[Automatically calculated: NYS Price for the Vehicle multiplied by Total Number of Vehicles]</i>	

Part C: Pre-Existing Inventory Vehicle(s) offered for Mini-Bid

1.0	General Questions (Pre-Existing)	Contractor Response
1.1	Do the Vehicle(s) offered meet all Authorized User Specifications for the requested Vehicle? <i>[click on yellow box and use drop-down menu]</i> (Note: General specifications, and an "Additional Vehicle Specifications Document" are included with each Mini-Bid Request. A Vehicle offered that does not meet all Authorized User Specifications may be deemed non-responsive and may be rejected).	Yes
1.2	Will the Vehicle(s) and pricing offered for the Mini-Bid Response remain firm and not be withdrawn for at least ten (10) calendar days from the first business day immediately following the Mini-Bid response submittal deadline, or such other period of time as specified in the Mini-Bid Request, in accordance with the Contract (see Section 2.42 Procurement Method, Paragraph G Timeframe for Offers in Mini-Bids)? <i>[click on yellow box and use drop-down menu]</i>	Yes
2.0	Additional Information (Pre-Existing)	
2.1	If applicable, enter any deviations from the Authorized User Specifications, or other additional information applicable are strongly encouraged to submit proposed deviations to the Authorized User by email prior to the Mini-Bid Request may be given due consideration prior to the submission of Bids. Do not enter information about Options or Aftermarket for the Vehicle offered, unless it has been included in the Authorized User Specifications. If not applicable, enter	
	N/A	
3.0	Vehicle Price Worksheet (Pre-Existing)	

[If more than fifteen (15) Pre-Existing Inventory Vehicles are being offered for a Mini-Bid, submit an additional completed Form B (Single OEM Vehicle): Mini-Bid Response form for the Mini-Bid. Submit both Form Bs following the instructions at the top of this Form, using the following naming convention for the additional Form B "OGS 23166-XXXXXXXX-PC12345-Additional Vehicles" (i.e., OGS Award#-Mini-Bid Reference#-Contract#-Additional Vehicles)].

Ref. #	Model Year	Make	Model and Trim Level	Model Code	Exterior Color	Interior Color	Seat Fabric	Drive Type	Fuel Type	NYS Base MSRP	NYS Discount	NYS Base Price	NYS Aftermarket Components Price	NYS Price for Vehicle
(Example)	2023	Chevrolet	Traverse	CV14526	Blue Metallic	Dark Titanium	Cloth	FWD	Gasoline	\$41,500.00	5.00	\$39,425.00	\$1,500.00	\$40,925.00
001	2024	DODGE	DURANGO PPV	WDEE75	GRAY	BLACK	CLOTH/VINYL	AWD	Gasoline	\$46,205.00	6.80	\$43,063.06	\$1,400.00	\$44,463.06
002														
003														
004														
005														
006														
007														
008														
009														
010														
011														
012														
013														
014														
015														
Total Price for Mini-Bid													\$44,463.06	
Total Pre-Existing Vehicles Offered													1	

RESOLUTION NO. 485.24

**AUTHORIZE CHANGE ORDER NO. 2 WITH CARVER CONSTRUCTION INC. FOR
THE SARTOLI AVENUE & KINGS ROAD DRAINAGE IMPROVEMENTS AND
ROADWAY RECONSTRUCTION PROJECT**

THEREFORE, UPON MOTION OF Councilmember _____,

seconded by Councilmember _____,

BE IT RESOLVED BY THE TOWN BOARD AS FOLLOWS:

SECTION 1. The Town Board of the Town of Rotterdam hereby authorizes the Supervisor to negotiate and execute Change Order No. 2 with Carver Construction Inc., located at 494 Western Turnpike, Altamont, New York 12009, in the amount of ninety-one thousand eight hundred ninety-nine and 83/100 (\$91,899.83) dollars, for a new total contract amount not to exceed one million five hundred fifty thousand, forty-four and 41/100 (\$1,550,044.41) dollars.

SECTION 2. This resolution shall become effective December 27, 2024.

DATED: December 27, 2024

NAME	AYES	NOES	ABSTAIN
Dodson			
Mastroianni			
Gallucci			
Schlag			
Collins			

TOWN OF ROTTERDAM

John F. Kirvin Government Center • 1100 Sunrise Boulevard • Rotterdam, NY 12306
Telephone: 518-355-7575 • Fax: 518-355-7976 • Website: www.rotterdamny.org



LEGISLATIVE REQUEST FORM

DATE: December 20, 2024

TO: Town Board

FROM: Fred Mastroianni, P.E., Town Consultant Engineer

TITLE OF REQUEST: Change Order No. 2 - Sartoli Avenue and Kings Road drainage improvements; and new water system and reconstructed Sartoli Avenue.

TOWN BOARD MEETING: December 27, 2024

Background Information:

The construction of the project is completed. During construction, numerous field changes were needed which involved actual quantities of materials to be increased/decreased when compared to the Engineer's Estimate, in addition to new items needed to complete the project. The following are several notable items that increased construction cost:

- Additional Clearing and Grubbing was needed on Sartoli Avenue to install the new watermain and drainage system.
- Additional Unclassified Excavation and Disposal was needed.
- The gas main on Kings Road needed to be relocated and the contractor assisted in the excavation and backfill. Also, six water services needed to be lowered on Kings Road due to the gas main relocation.
- New Fencing was installed along Sartoli Avenue due to grading needed for slope changes.
- Drainage system modifications on Kings Road were required due to field conditions.
- Brick Pillars at two driveways on Sartoli Avenue needed to be lowered due to change in roadway elevation.

Refer to the change order for further information/clarification.

Evaluation/Analysis:

This change order increases the overall cost of construction \$91,899.83. The total contract amount is now \$1,550,044.41 (original bid price is \$1,458,145.00). The town consultant engineer, contractor and resident engineer met to discuss the increased cost and negotiated an amount that was fair and acceptable to all.

Attachment/Document(s):

Attached is change order number 2.

Compliance with Purchasing Policy:

Yes

Effect(s) on Existing Law(s):

None

LEGISLATION WILL BE PREPARED BY:

Supervisors Office



Greenman-Pedersen, Inc. - Albany

Change Order Details

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

Description	Reconstruction of Sartoli Ave with new water distribution system and closed drainage system. Work also includes a new drainage collection system along Kings Road from Highbridge Road to Peter Road with associated catch basins, pavement restoration and outlet detention basin.
Prime Contractor	Carver Construction Inc 494 Western Turnpike Altamont, NY 12009
Change Order	2
Status	Pending
Date Created	10/03/2024
Type	Final Add/Deduct
Summary	Balance Remaining Quantities
Change Order Description	This CO is the Final Add/Deduct for the project & will balance all remaining quantities for each of the items in the contract and add new items that were necessary during the course of the project.
Awarded Project Amount	\$1,458,145.00
Authorized Project Amount	\$1,458,144.58
Change Order Amount	\$91,899.83
Revised Project Amount	\$1,550,044.41

Increases/Decreases

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount
Section: 1 - Share 1									
0030	304.12	CY	\$54.000	839.000	\$45,306.00	-14.140	-\$763.56	824.860	\$44,542.44
SUBBASE COURSE, TYPE 2									
Reason: Not all of the quantity was needed for the project & as a result, this item has resulted in a decrease									
0040	404.128201	Ton	\$142.000	6.000	\$852.00	-6.000	-\$852.00	0.000	\$0.00
12.5 F2 TOP COURSE ASPHALT, 80 SERIES COMPACTION									
Reason: This item was not needed during the course of the project & therefore is being decreased.									
0050	404.198901	Ton	\$160.000	6.000	\$960.00	-6.000	-\$960.00	0.000	\$0.00
19 F9 BINDER COURSE ASPHALT, 80 SERIES COMPACTION									
Reason: This item was not needed during the course of the project & therefore is being decreased.									
0060	404.378901	Ton	\$150.000	6.000	\$900.00	-6.000	-\$900.00	0.000	\$0.00
37.5 F9 BASE COURSE ASPHALT, 80 SERIES COMPACTION									
Reason: This item was not needed during the course of the project & therefore is being decreased.									
0070	407.0102	GAL	\$6.000	20.000	\$120.00	-20.000	-\$120.00	0.000	\$0.00
DILUTED TACK COAT									

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount

Reason: This item was not needed during the course of the project & therefore is being decreased.

0080	627.50140008	LF	\$4.000	1,850.000	\$7,400.00	-1,819.000	-\$7,276.00	31.000	\$124.00
CUTTING PAVEMENT									

Reason: Not all of the qty was needed during the course of the project & therefore is being decreased.

0100	663.0604	LF	\$63.000	500.000	\$31,500.00	-297.040	-\$18,713.52	202.960	\$12,786.48
COPPER WATER SERVICE PIPE 1"									

Reason: Not all of the quantity in this item was needed/necessary and as a result the item is being decreased.

Section: 2 - Share 2

0150	203.07	CY	\$25.500	2,900.000	\$73,950.00	-183.830	-\$4,687.67	2,716.170	\$69,262.33
SELECT GRANULAR FILL									

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0160	204.04	CY	\$275.000	25.000	\$6,875.00	-25.000	-\$6,875.00	0.000	\$0.00
LIGHTWEIGHT CONCRETE FILL (TYPE B)									

Reason: This item was not needed during the course of the project, therefore this item is being decreased.

0170	206.0201	CY	\$19.000	4,162.000	\$79,078.00	13.670	\$259.73	4,175.670	\$79,337.73
TRENCH & CULVERT EXCAVATION									

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount

Reason: Payment for this item is based on final field measurements associated w/all the drainage runs installed during the course of the project resulting in this item increasing.

0190	209.1003	SY	\$2.750	1,730.000	\$4,757.50	-764.390	-\$2,102.07	965.610	\$2,655.43
SEED AND MULCH - TEMPORARY									

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0200	209.1703	LF	\$18.500	170.000	\$3,145.00	-170.000	-\$3,145.00	0.000	\$0.00
DRAINAGE STRUCTURE INLET PROTECTION, PREFABRICATED-TEMPORARY									

Reason: This item was not needed during the course of the project, therefore this item is being decreased.

0210	209.1901	SY	\$15.000	25.000	\$375.00	-4.560	-\$68.40	20.440	\$306.60
ROLLED EROSION CONTROL PRODUCT, CLASS II TYPE A, INTERMEDIATE									

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0220	209.20080009	LF	\$7.500	1,500.000	\$11,250.00	-116.000	-\$870.00	1,384.000	\$10,380.00
Biodegradable Bio-Fiber Rolls 8 Inches									

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0230	304.12	CY	\$54.000	3.000	\$162.00	-3.000	-\$162.00	0.000	\$0.00
SUBBASE COURSE, TYPE 2									

Reason: This item was not needed during the course of the project and therefore is being decreased.

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount
0240	404.128201	Ton	\$142.000	212.000	\$30,104.00	59.230	\$8,410.66	271.230	\$38,514.66
12.5 F2 TOP COURSE ASPHALT, 80 SERIES COMPACTION									
Reason: This item has increased based on the actual quantity of asphalt placement for the project.									
0250	404.198901	Ton	\$160.000	244.000	\$39,040.00	65.260	\$10,441.60	309.260	\$49,481.60
19 F9 BINDER COURSE ASPHALT, 80 SERIES COMPACTION									
Reason: This item has increased based on the actual quantity of asphalt placement for the project.									
0260	404.378901	Ton	\$150.000	494.000	\$74,100.00	-13.635	-\$2,045.25	480.365	\$72,054.75
37.5 F9 BASE COURSE ASPHALT, 80 SERIES COMPACTION									
Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.									
0270	407.0102	GAL	\$6.000	175.000	\$1,050.00	32.000	\$192.00	207.000	\$1,242.00
DILUTED TACK COAT									
Reason: Payment for this item is based on final field measurements resulting in an increase for this item.									
0280	418.7603	LF	\$1.500	2,500.000	\$3,750.00	-1,168.000	-\$1,752.00	1,332.000	\$1,998.00
Asphalt Pavement Joint Adhesive									
Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.									
0290	490.30	SY	\$5.000	1,200.000	\$6,000.00	-239.180	-\$1,195.90	960.820	\$4,804.10
MISCELLANEOUS COLD MILLING OF BITUMINOUS CONCRETE									

Change Order Details:

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

12/18/2024

Page 5 of 14

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0300	552.17	SF	\$0.010	12,876.000	\$128.76	-150.000	-\$1.50	12,726.000	\$127.26
------	--------	----	---------	------------	----------	----------	---------	------------	----------

SHIELDS AND SHORING

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0310	555.10000006	CY	\$275.000	60.000	\$16,500.00	-40.000	-\$11,000.00	20.000	\$5,500.00
------	--------------	----	-----------	--------	-------------	---------	--------------	--------	------------

ABANDON EXISTING CULVERT

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0340	603.6001	LF	\$145.000	30.000	\$4,350.00	-1.000	-\$145.00	29.000	\$4,205.00
------	----------	----	-----------	--------	------------	--------	-----------	--------	------------

REINFORCED CONCRETE PIPE CLASS III, 12 INCH DIAMETER

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0350	603.6002	LF	\$120.000	400.000	\$48,000.00	-8.500	-\$1,020.00	391.500	\$46,980.00
------	----------	----	-----------	---------	-------------	--------	-------------	---------	-------------

Reinforced Concrete pipe Class III, 15" diameter

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0360	603.6003	LF	\$132.000	78.000	\$10,296.00	1.920	\$253.44	79.920	\$10,549.44
------	----------	----	-----------	--------	-------------	-------	----------	--------	-------------

REINFORCED CONCRETE PIPE CLASS III, 18 INCH DIAMETER

Reason: Payment for this item is based on the actual qty of linear feet of pipe installed on the project which has resulted in an increase for this item.

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount
0370	603.6604	LF	\$253.000	251.000	\$63,503.00	-4.200	-\$1,062.60	246.800	\$62,440.40
REINFORCED CONCRETE HORIZONTAL ELLIPTICAL PIPE, CLASS HEII 24" RISE, 38" SPAN									
Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.									
0380	603.6607	LF	\$468.000	155.000	\$72,540.00	-3.000	-\$1,404.00	152.000	\$71,136.00
REINFORCED CONCRETE HORIZONTAL ELLIPTICAL PIPE, CLASS HEII 32" RISE, 49" SPAN									
Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.									
0400	603.9815	LF	\$61.000	233.000	\$14,213.00	-1.000	-\$61.00	232.000	\$14,152.00
SMOOTH INTERIOR CORRUGATED POLYETHYLENE CULVERT AND STORM PIPE 15 INCH DIAMETER									
Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.									
0410	603.9836	LF	\$104.000	730.000	\$75,920.00	8.250	\$858.00	738.250	\$76,778.00
SMOOTH INTERIOR CORRUGATED POLYETHYLENE CULVERT AND STORM DRAIN 36 INCH DIAMETER									
Reason: Payment for this item is based on the actual qty of linear feet of pipe installed on the project which has resulted in an increase for this item.									
0420	603.9842	LF	\$130.000	869.000	\$112,970.00	-14.750	-\$1,917.50	854.250	\$111,052.50
SMOOTH INTERIOR POLYETHYLENE CULVERT PIPE AND STORM DRAIN PIPE - 42 INCH DIAMETER									
Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.									
0430	604.070101	EACH	\$1,875.000	6.000	\$11,250.00	-3.000	-\$5,625.00	3.000	\$5,625.00
ALTERING DRAINAGE STRUCTURES, LEACHING BASINS AND MANHOLES									

Change Order Details:

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

12/18/2024

Page 7 of 14

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0450	604.13000011	EA	\$1,450.000	4.000	\$5,800.00	-2.000	-\$2,900.00	2.000	\$2,900.00
------	--------------	----	-------------	-------	------------	--------	-------------	-------	------------

ABANDONING DRAINAGE STRUCTURES

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0470	604.300632	LF	\$815.000	7.100	\$5,786.50	-0.430	-\$350.45	6.670	\$5,436.05
------	------------	----	-----------	-------	------------	--------	-----------	-------	------------

RECTANGULAR DRAINAGE STRUCTURE TYPE F FOR ROUND MANHOLE FRAME

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0490	604.320711	LF	\$935.000	26.800	\$25,058.00	-1.620	-\$1,514.70	25.180	\$23,543.30
------	------------	----	-----------	--------	-------------	--------	-------------	--------	-------------

RECTANGULAR DRAINAGE STRUCTURE TYPE G FOR #11 WELDED FRAMEIN CONCRETE CAP

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0500	604.320811	LF	\$1,010.000	13.200	\$13,332.00	-1.850	-\$1,868.50	11.350	\$11,463.50
------	------------	----	-------------	--------	-------------	--------	-------------	--------	-------------

RECTANGULAR DRAINAGE STRUCTURE TYPE H FOR #11 WELDED FRAMEIN CONCRETE CAP

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0510	604.321111	LF	\$943.000	54.200	\$51,110.60	-1.080	-\$1,018.44	53.120	\$50,092.16
------	------------	----	-----------	--------	-------------	--------	-------------	--------	-------------

RECTANGULAR DRAINAGE STRUCTURE TYPE K FOR #11 WELDED FRAME IN CONCRETE CAP

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount
0520	607.96000008	LF	\$3.500	1,000.000	\$3,500.00	-398.000	-\$1,393.00	602.000	\$2,107.00
REMOVE AND DISPOSE OF EXISTING FENCE									
Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.									
0530	608.0101	CY	\$850.000	3.500	\$2,975.00	3.500	\$2,975.00	7.000	\$5,950.00
CONCRETE SIDEWALKS AND DRIVEWAYS									
Reason: This item has exceeded it's original quantity by 200%. The increase will cover the quantity installed up to 200% of the original qty and a new item will be added to the contractor to cover the remaining qty above 200% of the original item qty									
0540	608.020102	TON	\$400.000	28.000	\$11,200.00	7.510	\$3,004.00	35.510	\$14,204.00
HOT MIX ASPHALT (HMA) SIDEWALKS, DRIVEWAYS, BICYCLE PATHS, AND VEGETATION CONTROL STRIPS									
Reason: Payment is based on the asphalt qty which was needed/necessary to properly tie in all driveways along the project limits. As a result, this item had a slight increase.									
0550	608.13000008	SY	\$54.000	59.500	\$3,213.00	-59.500	-\$3,213.00	0.000	\$0.00
FURNISH AND INSTALL GRASS PAVERS									
Reason: The town determined that this item was not needed/necessary & is being decreased.									
0560	610.1402	CY	\$145.000	190.000	\$27,550.00	183.280	\$26,575.60	373.280	\$54,125.60
TOPSOIL - ROADSIDE									
Reason: This item is based on actual field measurements and as a result, this item has increased.									
0570	610.1601	SY	\$3.500	1,730.000	\$6,055.00	3,696.710	\$12,938.49	5,426.710	\$18,993.49
TURF ESTABLISHMENT - ROADSIDE									

Change Order Details:

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

12/18/2024

Page 9 of 14

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount

Reason: This item is based on actual field measurements and as a result, this item has increased.

0590	619.27	EA	\$525.000	10.000	\$5,250.00	-9.000	-\$4,725.00	1.000	\$525.00
MAILBOXES									

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0600	620.03	CY	\$132.000	330.000	\$43,560.00	-266.040	-\$35,117.28	63.960	\$8,442.72
STONE FILL (LIGHT)									

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0610	620.0801	CY	\$125.000	250.000	\$31,250.00	-227.000	-\$28,375.00	23.000	\$2,875.00
BEDDING MATERIAL, TYPE 1									

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0630	627.50140008	LF	\$4.000	1,850.000	\$7,400.00	-1,210.000	-\$4,840.00	640.000	\$2,560.00
CUTTING PAVEMENT									

Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.

0640	637.11	MNTH	\$4,000.000	4.000	\$16,000.00	1.000	\$4,000.00	5.000	\$20,000.00
ENGINEERS FIELD OFFICE - TYPE 1									

Reason: This increase is to cover the Field Office for the month of September 2024.

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount
0650	637.34	DC	\$1.000	2,500.000	\$2,500.00	-2,500.000	-\$2,500.00	0.000	\$0.00
OFFICE TECHNOLOGY AND SUPPLIES									
Reason: This item was not needed/necessary during the course of the project & therefore is being decreased									
0660	640.20	LF	\$2.750	21.000	\$57.75	-21.000	-\$57.75	0.000	\$0.00
WHITE PAINT REFLECTORIZED PAVEMENT STRIPES 20 MILS									
Reason: The item is being decrease the quantity was not needed/necessary.									
0670	640.21	LF	\$2.750	876.000	\$2,409.00	-685.090	-\$1,884.00	190.910	\$525.00
YELLOW PAINT REFLECTORIZED PAVEMENT STRIPES 20 MILS									
Reason: This item is being decrease since not all of the quantity was needed/necessary.									
0680	655.1111	EACH	\$1,150.000	22.000	\$25,300.00	-1.000	-\$1,150.00	21.000	\$24,150.00
WELDED FRAME & RETICULINE GRATE 11									
Reason: Payment for this item is base on actual field measurements & as a result, not all of the qty was needed which has resulted in a decrease for this item.									
52 items			Totals		\$1,139,652.11		-\$95,723.57		\$1,043,928.54

New Items

Line Number	Item ID	Unit	Quantity	Unit Price	Extension
Section: 2 - Share 2					

Change Order Details:

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

12/18/2024

Page 11 of 14

Line Number	Item ID	Unit	Quantity	Unit Price	Extension
0720	201.06	LS	1.000	\$15,801.020	\$15,801.02
CLEARING AND GRUBBING					
Reason: This item is being added to make payment for work the Contractor completed clearing additional trees located at the end of Sartoli Ave between Sta 5+75 to 6+90 +/- rt in order to install the new watermain, drainage run and proposed grass swale in this area.					
0730	203.02	CY	1,473.290	\$47.500	\$69,981.28
UNCLASSIFIED EXCAVATION AND DISPOSAL					
Reason: This item is a major item in the contract. This item is being added to cover the quantity that has exceeded the 125% of the original contract qty.					
0740	608.0101	CY	5.330	\$1,262.010	\$6,726.51
CONCRETE SIDEWALKS AND DRIVEWAYS					
Reason: This item is being added to cover the quantity that has exceeded 200% of the original contract qty & based on the field measured qty paid for the installation of the concrete driveways & concrete pad on Sartoli Ave.					
0750	950.1900	DC	1.000	\$17,732.650	\$17,732.65
MISCELLANEOUS ---: Natl Grid Assistance for Relocate of Gas Main @ Kings & Martinalla					
Reason: This item is being added for the assistance the Contractor provided in excavation & backfill for relocation of the 12" gas main located on Kings Rd at the intersection Marinalla Ave. the assistance was provided to keep the project moving forward & to minimize delays in completing the project on time.					
0760	950.1901	DC	1.000	\$11,626.230	\$11,626.23
MISCELLANEOUS ---: Additional of Str. CB 6.1 Manhole					
Reason: This item is being added following a change in the proposed drainage pipe run between MH-7 to CB-6.1 to CB-6. This was to avoid conflict w/the new drainage system recently installed at the new Kings Rd bridge project.					
0770	663.2503	EA	6.000	\$4,450.000	\$26,700.00

Change Order Details:

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

12/18/2024

Page 12 of 14

Line Number	Item ID	Unit	Quantity	Unit Price	Extension
WATER SERVICE CONNECTION, 3/4"					
Reason: This item is being added to make payment for the 6 water services that were in conflict & required relocation/reconnecting for installation of the new drainage system along Kings Rd.					
0780	950.0900	DC	1.000	\$5,298.940	\$5,298.94
DRAINAGE 576, 602, 603, 604: Rebuild of Drainage Structure - EX-DS 6					
Reason: Proposed pipe run MH-8A was required to be tied into existing structure DS 6. However, when this was attempted, the existing structure was in disrepair. The structure was rebuilt and this item is being added to make payment for work completed by the Contractor on this structure.					
0790	950.0901	DC	1.000	\$2,596.680	\$2,596.68
DRAINAGE 576, 602, 603, 604: Rebuild/Replacement of Drainage Structure - EX-DS 7					
Reason: Proposed pipe run MH-8B was required to be tied into existing structure DS 7. However when this was attempted, the existing structure was in disrepair. The structure was replaced w/a small 2x2 box in order to complete the pipe run. The item is being added to make payment to the Contractor for work completed.					
0800	950.1900	DC	1.000	\$17,014.160	\$17,014.16
MISCELLANEOUS ---: Fencing along Sartoli Ave - Sta 1+75 to 6+90 +/- rt					
Reason: This item is being added to make payment for the installation of the new fence moved off of the town's ROW along Sartoli Ave & to allow for proper grading of the slope at the end of Sartoli Ave (Sta 5+75 to 6+90 rt).					
0810	950.1901	DC	1.000	\$5,018.490	\$5,018.49
MISCELLANEOUS ---: Relocation of Brick Pillars at 4 & 6 Sartoli Ave lt.					
Reason: As a result of Sartoli Ave being reconstructed & the existing road elevation being lower it created an issue w/the existing brick pillars requiring to be relocated and lowered. This item is being added to make payment to the Contractor for work completed.					
0820	950.1902	DC	1.000	\$9,127.440	\$9,127.44

Line Number	Item ID	Unit	Quantity	Unit Price	Extension
-------------	---------	------	----------	------------	-----------

MISCELLANEOUS: Setting Kings Rd Casting

Reason: There was a change in the type of frames & grates installed for the drainage structures long Kings Rd. This resulted in the new frames to be set to final elevation in order to complete paving of Kings Rd. this item is being added to make payment for work completed by the Contractor.

11 items

Total: \$187,623.40

Attachments

Document	Name	Description	Submission Date
----------	------	-------------	-----------------

Sartoli_Ave_-_CO__2_New_Items_to_the_Contract.pdf

Sartoli Ave - CO #2 New Items to the Contract.pdf

10/09/2024 02:09 PM EDT

1 attachment

Contractor

Gabe Hanoufa

Digitally signed by Gabe Hanoufa
DN: cn=US, email=Ghanoufa@carvercompanies.com,
ou=Carver Construction Inc., cn=Gabe Hanoufa
Date: 2024.12.18 10:25:05-05'00'

Engineer

Edward J. Gutierrez 12/20/24

Project Owner

Change Order Details:

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

12/18/2024

Page 14 of 14

At the regularly scheduled public meeting of the Town Board of the Town of Rotterdam, held at the Rotterdam Junction Fire Department, 1215 Main Street, Rotterdam Junction, New York, 12150 on Wednesday, September 11, 2024, at 7:00 p.m., the following resolution was duly adopted:

RESOLUTION NO. 361.24

AUTHORIZE DEDUCT CHANGE ORDER NO. 1 WITH CARVER CONSTRUCTION INC. FOR THE SARTOLI AVENUE & KINGS ROAD DRAINAGE IMPROVEMENTS AND ROADWAY RECONSTRUCTION PROJECT

THEREFORE, UPON MOTION OF Councilmember **MASTROIANNI**, seconded by Deputy Supervisor **DODSON**,

BE IT RESOLVED BY THE TOWN BOARD AS FOLLOWS:

SECTION 1. The Town Board of the Town of Rotterdam hereby authorizes the Supervisor to negotiate and execute Deduct Change Order No. 1 with Carver Construction Inc., located at 494 Western Turnpike, Altamont, New York 12009, for a deduction in the amount of 42/100 (\$00.42) cents, for a new total contract amount not to exceed one million four hundred fifty-eight thousand one hundred forty-four and 58/100 (\$1,458,144.58) dollars.

SECTION 2. This resolution shall become effective September 11, 2024.

DATED: September 11, 2024

NAME	AYES	NOES	ABSTAIN
Dodson	X		
Mastroianni	X		
Gallucci	X		
Schlag	X		
Collins (Absent)			

I, Diane M. Marco, Town Clerk of the Town of Rotterdam, Schenectady County, New York, **DO HEREBY CERTIFY** that the foregoing resolution was approved by the Town Board Meeting of the Town of Rotterdam on September 11, 2024, and that the foregoing resolution is a true and correct transcript of the original resolution and of the whole thereof and that said resolution is on file in the Town Clerk's office.

I DO FURTHER CERTIFY that each of the members of the Town Board had due notice of the said Town Board meeting.

IN WITNESS WHEREOF, I have hereunto set my hand and the seal of the Town of Rotterdam this September 16, 2024.

Diane M. Marco

Diane M. Marco, Town Clerk



TOWN OF ROTTERDAM

John F. Kirvin Government Center * 1100 Sunrise Boulevard * Rotterdam, NY 12306
Telephone: 518-355-7575 * Fax: 518-355-7976 * Website: www.rotterdamny.org



LEGISLATIVE REQUEST FORM

DATE: September 10, 2024

TO: Town Board

FROM: Fred Mastroianni, P.E., Town Consultant Engineer

TITLE OF REQUEST: Change order No. 1 - Sartoli Avenue and Kings Road Drainage Improvements.

TOWN BOARD MEETING: September 11, 2024

Background Information: The construction of the project is moving along and cost for the work is based upon unit bid price for materials to be installed. The Resident Engineer has advised me that there has been an overrun of cost for two items and an additional item needed to be included that was not in the original bid documents. In addition, there are several items where less material needed to be installed and thus it is a cost savings. In summary, this change order reduces the overall cost for the project \$0.42.

Evaluation/Analysis: As stated above, this change order reduces cost of \$0.42. The total contract amount is now \$1,458,144.58 (original bid price Was \$1,458,145.00.

Attachment/Document(s): Attached is the change order number 1.

Compliance with Purchasing Policy: Yes

Effect(s) on Existing Law(s): None

LEGISLATION WILL BE PREPARED BY: Supervisors Office



Greenman-Pedersen, Inc. - Albany

Change Order Details

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

Description	Reconstruction of Sartoli Ave with new water distribution system and closed drainage system. Work also includes a new drainage collection system along Kings Road from Highbridge Road to Peter Road with associated catch basins, pavement restoration and outlet detention basin.
Prime Contractor	Carver Construction Inc 494 Western Turnpike Albion, NY 12009
Change Order	1
Status	Pending
Date Created	08/20/2024
Type	Add/Deduct
Summary	Balance Overruns & New Item
Change Order Description	This CO addresses overruns to 2 items & adds a new item to the contractor that was necessary to complete the proposed work.
Awarded Project Amount	\$1,458,145.00
Authorized Project Amount	\$1,458,145.00
Change Order Amount	-\$0.42
Revised Project Amount	\$1,458,144.58

Change Order Details:

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

530

08/20/2024

September 11, 2024 Page 1 of 3

Increases/Decreases

Line Number	Item ID	Unit	Unit Price	Current		Change		Revised	
				Quantity	Amount	Quantity	Amount	Quantity	Amount
Section: 2 - Share 2									
0140	203.02	CY	\$20.000	1,350.000	\$27,000.00	337.500	\$6,750.00	1,687.500	\$33,750.00
UNCLASSIFIED EXCAVATION AND DISPOSAL									
Reason: This item is being increased to cover payment for work completed along Martinalla Ave & Sartoli Ave. This Increase is up to 125% of the original contract qty per the specification for a major item.									
0180	206.05	EACH	\$1,585.000	10.000	\$15,850.00	9.000	\$14,265.00	19.000	\$30,115.00
TEST PIT EXCAVATION									
Reason: This increase is to cover the required test pits needed to verify all utility locations along Kings Rd & Sartoli Ave.									
0550	608.13000008	SY	\$54.000	545.000	\$29,430.00	-485.500	-\$26,217.00	59.500	\$3,213.00
FURNISH AND INSTALL GRASS PAVERS									
Reason: The town determined that this item was not needed/necessary and is being decrease to off set the overrun items & new item added in this CO.									
3 items			Totals		\$72,280.00		-\$5,202.00		\$67,078.00

New Items

Line Number	Item ID	Unit	Quantity	Unit Price	Extension
-------------	---------	------	----------	------------	-----------

Section: 2 - Share 2

Change Order Details:

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

531

08/20/2024

September 11, 2024 Page 2 of 3

Line Number	Item ID	Unit	Quantity	Unit Price	Extension
0710	555.0105	CY	3.650	\$1,425.090	\$5,201.58

CONCRETE FOR STRUCTURES, CLASS A

Reason: This item is being added for the cutoff walls installed at the 42" & 48" GSES at the detention basin constructed on Martinalla Ave.

1 item Total: \$5,201.58

Attachments

Document	Name	Description	Submission Date
Sartoli_Ave_-_CO_1_AP_for_Item_555.0105_Headwalls.pdf	Sartoli Ave - CO#1 AP for Item 555.0105 Headwalls.pdf		08/20/2024 09:18 AM EDT

1 attachment

Contractor Gabe Hanoufa Digitally signed by Gabe Hanoufa
DN: cn=Gabe Hanoufa, o=K&L Engineering, ou=K&L Engineering, email=g.hanoufa@kandl.com, c=US
Date: 2024.08.23 14:25:29-0500

Engineer *Edward L. Gutierrez* 8/20/24

Project Owner *Mallie A. Collins* 9/16/2024

Change Order Details:

Sartoli Ave & Kings Road Drainage Improvements & Roadway Recon

532

08/20/2024

September 11, 2024 Page 3 of 3

RESOLUTION NO. 486.24

TO AMEND RESOLUTION 296.21 RELATING TO THE USE OF ARPA FUNDS

WHEREAS, by Resolution No. 443.24 adopted on November 26, 2024, the Town Board voted in favor of amending Section 1 of Resolution 296.21 to read in its entirety as follows:

"SECTION 1. The Town Board of the Town of Rotterdam, upon recommendation from the Director of Finance, does hereby accept the American Rescue Plan Act (ARPA) funds (into line A 4989 4989 00 (Fed Aid)) for use in support of 2021 expenses and future fiscal year expenses outside the initial budget with expenditures designated toward the purchase of 210 Phillips Road (\$260,000.00) and 212 Phillips Road (\$215,000.00) for the future use as Town parkland (total of \$475,000.00) paid from line A7110 4153 (Parks Improvements); and to fund the improvements to Sewer District 7 Extension 2 (\$415,000.00) paid from Capital Project - H131 (Carmen Rd Sewer SD7 Ext 2); and to fund the leak detection work, valve/hydrant(s) assessment, lead service/pipe inventory, redundant source evaluation, and consolidation review for Water Districts 3 and 4 (\$136,700.00) paid from the fund line W38310 4850 (Water District 3, Engineering Consultant); and to fund the replacement of the asbestos concrete water main on Rt. 5S, paid from the fund line H132 Route 5S Safety Improvements (\$1,200,000.00); and to fund the purchase of one Ford F-250 Pickup Truck for the Wastewater Treatment Plant paid from the fund lines S28130 2000 (\$44,965.61) and S28120 2000 (\$14,988.54) (\$59,954.15); and to fund the Special Improvements Area Curry Road Sewer Improvement Project paid from the fund line H125 Capital Projects (\$100,000.00); and to fund the Sartoli Avenue and Rome Avenue Drainage Improvements Project paid from the fund line H126 Capital Projects (\$150,000.00); and to fund the repairs to the Route 5S Fire Hydrants paid from the fund line H132 - Route 5S Safety Improvements Capital Projects (\$75,000.00); and to fund the purchase of Police Vehicles paid from the fund line A3120 2010 Patrol Vehicles (\$175,000.00); and to fund the Salt Storage and Yard Waste Processing Facility project paid from the fund line H107 Highway Salt Shed (\$250,000.00), and to fund the Kiwanis International Park Waterfront Access Improvement Project paid from fund line H133 Kiwanis Boat Launch (\$31,240.46), and to fund the Senior Center Parking Lot

Improvements Project paid from fund line A6772 2005 Equipment/Paving (\$40,000.00); and to fund the Rotterdam Preserve Master Plan paid from the fund line A7110 4153 Parks Improvements (\$12,516.73); and

WHEREAS, the Town Board of the Town of Rotterdam desires to reallocate the designation of funds for the replacement of the asbestos concrete water main on Rt. 5S, originally allocating \$1,200,000.00 received pursuant to the American Rescue Plan Act (ARPA), paid from the fund line H132 Route 5S Safety Improvements, to the reduced allocated amount of \$0.00; and

WHEREAS, the Town Board of the Town of Rotterdam desires to reauthorize designation of said funds received pursuant to the American Rescue Plan Act (ARPA) to Highway Equipment (\$905,472.66), Patrol Vehicles (\$39,535.68), Sartoli/Kings Rd - Change Order No. 2 (\$69,981.28), Sartoli/Kings Rd - Fence/Gate (\$6,900.00), and the Senior Center Parking Lot Improvements Project (\$178,110.38), for a total of \$1,200,000.00 reauthorized funds; **NOW**

THEREFORE, UPON MOTION OF Councilmember _____,
seconded by Councilmember _____,

BE IT RESOLVED BY THE TOWN BOARD AS FOLLOWS:

SECTION 1. Section 1 of Resolution 296.21 is hereby amended to read in its entirety as follows:

"SECTION 1. The Town Board of the Town of Rotterdam, upon recommendation from the Director of Finance, does hereby accept the American Rescue Plan Act (ARPA) funds (into line A 4989 4989 00 (Fed Aid)) for use in support of 2021 expenses and future fiscal year expenses outside the initial budget with expenditures designated toward the purchase of 210 Phillips Road (\$260,000.00) and 212 Phillips Road (\$215,000.00) for the future use as Town parkland (total of \$475,000.00) paid from line A7110 4153 (Parks Improvements); and to fund the improvements to Sewer District 7 Extension 2 (\$415,000.00) paid from Capital Project - H131 (Carmen Rd Sewer SD7 Ext 2); and to fund the leak detection work, valve/hydrant(s) assessment, lead service/pipe inventory, redundant source evaluation, and consolidation review for Water Districts 3 and 4 (\$136,700.00) paid from the fund line W38310 4850 (Water District 3, Engineering Consultant); and to fund the purchase of one Ford F-250 Pickup Truck for the Wastewater Treatment Plant paid from the fund lines S28130 2000 (\$44,965.61) and S28120 2000 (\$14,988.54)

(\$59,954.15); and to fund the Special Improvements Area Curry Road Sewer Improvement Project paid from the fund line H125 Capital Projects (\$100,000.00); and to fund the Sartoli Avenue and Rome Avenue Drainage Improvements Project paid from the fund line H126 Capital Projects (\$150,000.00); and to fund the repairs to the Route 5S Fire Hydrants paid from the fund line H132 - Route 5S Safety Improvements Capital Projects (\$75,000.00); and to fund the purchase of Police Vehicles paid from the fund line A3120 2010 Patrol Vehicles (\$175,000.00); and to fund the Salt Storage and Yard Waste Processing Facility project paid from the fund line H107 Highway Salt Shed (\$250,000.00), and to fund the Kiwanis International Park Waterfront Access Improvement Project paid from fund line H133 Kiwanis Boat Launch (\$31,240.46), and to fund the Senior Center Parking Lot Improvements Project paid from fund line A6772 2005 Equipment/Paving (\$40,000.00); and to fund the Rotterdam Preserve Master Plan paid from the fund line A7110 4153 Parks Improvements (\$12,516.73); and to fund the purchase of Highway Vehicles paid from the fund line DA5110 2000 Equipment (\$905,472.66); and to fund the purchase of a Police Vehicle paid from the fund line A3120 2010 Patrol Vehicles (\$39,535.68); and to fund Change Order No. 2 - Sartoli Avenue and Kings Road Drainage Improvements paid from fund line H126 Capital Projects (\$69,981.28); and to fund the purchase of the Installation of New Fencing Off Kings Road paid from fund line H126 Capital Projects (\$6,900.00); and to fund the Senior Center Parking Lot Improvements Project paid from fund line A6772 2005 Equipment/Paving (\$178,110.38).

SECTION 2. Pursuant to Section 36 of the General Municipal Law of the State of New York and Sections 102, 112 and 113 of Town Law of the State of New York, regarding the Uniform System of Accounts, the following transfers to the various accounts for 2024 are hereby audited and approved:

Fund	Account No.	Title	Amount
H132		FROM: Route 5S Safety Improvements	-\$1,200,000.00
DA5110	2000	INTO: Equipment	+\$905,472.66
A3120	2010	INTO: Patrol Vehicles	+\$39,535.68
H126		INTO: Capital Project	+\$69,981.28
H126		INTO: Capital Project	+\$6,900.00
A6772	2005	INTO: Equip/Paving	+\$178,110.38

SECTION 3. This resolution shall become effective December 27, 2024.

DATED: December 27, 2024

NAME	AYES	NOES	ABSTAIN
Dodson			
Mastroianni			
Gallucci			
Schlag			
Collins			

TOWN OF ROTTERDAM

John F. Kirvin Government Center • 1100 Sunrise Boulevard • Rotterdam, NY 12306
Telephone: 518-355-7575 • Fax: 518-355-7976 • Website: www.rotterdamny.org



LEGISLATIVE REQUEST FORM

DATE: December 23, 2024

TO: Mollie A. Collins, Town Supervisor
Town Board

FROM: Alison Grace, Town Comptroller

TITLE OF REQUEST: Authorize designation of ARPA funds

TOWN BOARD MEETING: December 27, 2024

Background Information: The Comptroller's office is requesting the authorization to re-designate a total of \$1,200,000 in ARPA funds from initial commitment to replacement of asbestos concrete water main on Route 5S to the following new designations: \$905,472.66 to help fund the purchase of highway vehicles/equipment in need of replacement; \$39,535.68 for purchase of police vehicle; \$69,981.28 for "Unclassified Excavation and Disposal" portion of change order related to Sartoli Ave/Kings Road Drainage Improvement project; \$6,900.00 for installation of new fencing off Kings Road; and \$178,110.38 for Senior Center parking lot paving (initially \$40,000 was committed to ARPA bringing total ARPA funds for Senior Center parking lot to be \$218,110.38).

Evaluations/Analysis: The Town of Rotterdam to-date has committed the total ARPA funding received of \$3,074,144.60. Due to the fact that we could not obtain a contract related to a prior ARPA designation of \$1,200,000.00 to fund the replacement of the asbestos concrete water main on Rt 5S, paid from the fund line H132 Route 5S Safety Improvements, by the December 31, 2024 deadline to commit and obligate all of ARPA funding received, we are amending the ARPA funds designation. This amendment to the ARPA funding commitment leaves the full balance of ARPA funds received both committed AND obligated before the December 31, 2024 deadline. All purchases/contracts above have been approved by the Board.

Recommendation: Authorize the designation of ARPA funds to help various projects and purchased as listed above.

Attachment/Document(s): Budget Transfer

LEGISLATION WILL BE PREPARED BY: Supervisor's Office

At the regularly scheduled public Special meeting of the Town Board of the Town of Rotterdam, held at the John F. Kirvin Government Center, 1100 Sunrise Boulevard, Rotterdam, New York 12306 on Wednesday, November 26, 2024, at 7:00 p.m., the following resolution was duly adopted:

RESOLUTION NO. 443.24

TO AMEND RESOLUTION 296.21 RELATING TO THE USE OF ARPA FUNDS

WHEREAS, by Resolution No. 369.23 adopted on December 13, 2023, the Town Board voted in favor of amending Section 1 of Resolution 296.21 to read in its entirety as follows:

"SECTION 1. The Town Board of the Town of Rotterdam, upon recommendation from the Director of Finance, does hereby accept the American Rescue Plan Act (ARPA) funds (into line A 4989 4989 00 (Fed Aid)) for use in support of 2021 expenses outside the initial budget with expenditures designated toward the purchase of 210 Phillips Road (\$260,000.00) and 212 Phillips Road (\$215,000.00) for the future use as Town parkland (total of \$475,000.00) paid from line A7110 4153 (Parks Improvements); and to fund the improvements to Sewer District 7 Extension 2 (\$415,000.00) paid from Capital Project - H131 (Carmen Rd Sewer SD7 Ext 2); and to fund the leak detection work, valve/hydrant(s) assessment, lead service/pipe inventory, redundant source evaluation, and consolidation review for Water Districts 3 and 4 (\$136,700.00) paid from the fund line W38310 4850 (Water District 3, Engineering Consultant); and to fund the replacement of the asbestos concrete water main on Rt. 5S, paid from the fund line H132 Route 5S Safety Improvements (\$1,200,000.00); and to fund the purchase of one Ford F-250 Pickup Truck for the Wastewater Treatment Plant paid from the fund lines S28130 2000 (\$44,965.61) and S28120 2000 (\$14,988.54) (\$59,954.15); and to fund the Special Improvements Area Curry Road Sewer Improvement Project paid from the fund line H125 Capital Projects (\$100,000.00); and to fund the Sartoli Avenue and Rome Avenue Drainage Improvements Project paid from the fund line H126 Capital Projects (\$150,000.00); and to fund the repairs to the Route 5S Fire Hydrants paid from the fund line H132 - Route 5S Safety Improvements Capital Projects (\$75,000.00); and to fund the purchase of Police Vehicles paid from the fund line A3120 2010 Patrol Vehicles (\$175,000.00); and to fund the Salt Storage and Yard Waste Processing Facility project paid

from the fund line H107 Highway Salt Shed (\$250,000.00), and to fund the Kiwanis International Park Waterfront Access Improvement Project paid from fund line H133 Kiwanis Boat Launch (\$31,240.46); and

WHEREAS, the Town Board of the Town of Rotterdam desires to authorize designation of \$12,516.73 of funds received pursuant to the American Rescue Plan Act (ARPA) to the Rotterdam Preserve Master Plan; **NOW**

THEREFORE, UPON MOTION OF Supervisor **COLLINS**, seconded by Councilmember **GALLUCCI**,

BE IT RESOLVED BY THE TOWN BOARD AS FOLLOWS:

SECTION 1. Section 1 of Resolution 296.21 is hereby amended to read in its entirety as follows:

"SECTION 1. The Town Board of the Town of Rotterdam, upon recommendation from the Director of Finance, does hereby accept the American Rescue Plan Act (ARPA) funds (into line A 4989 4989 00 (Fed Aid)) for use in support of 2021 expenses outside the initial budget with expenditures designated toward the purchase of 210 Phillips Road (\$260,000.00) and 212 Phillips Road (\$215,000.00) for the future use as Town parkland (total of \$475,000.00) paid from line A7110 4153 (Parks Improvements); and to fund the improvements to Sewer District 7 Extension 2 (\$415,000.00) paid from Capital Project - H131 (Carmen Rd Sewer SD7 Ext 2); and to fund the leak detection work, valve/hydrant(s) assessment, lead service/pipe inventory, redundant source evaluation, and consolidation review for Water Districts 3 and 4 (\$136,700.00) paid from the fund line W38310 4850 (Water District 3, Engineering Consultant); and to fund the replacement of the asbestos concrete water main on Rt. 5S, paid from the fund line H132 Route 5S Safety Improvements (\$1,200,000.00); and to fund the purchase of one Ford F-250 Pickup Truck for the Wastewater Treatment Plant paid from the fund lines S28130 2000 (\$44,965.61) and S28120 2000 (\$14,988.54) (\$59,954.15); and to fund the Special Improvements Area Curry Road Sewer Improvement Project paid from the fund line H125 Capital Projects (\$100,000.00); and to fund the Sartoli Avenue and Rome Avenue Drainage Improvements Project paid from the fund line H126 Capital Projects (\$150,000.00); and to fund the repairs to the Route 5S Fire

Hydrants paid from the fund line H132 - Route 5S Safety Improvements Capital Projects (\$75,000.00); and to fund the purchase of Police Vehicles paid from the fund line A3120 2010 Patrol Vehicles (\$175,000.00); and to fund the Salt Storage and Yard Waste Processing Facility project paid from the fund line H107 Highway Salt Shed (\$250,000.00), and to fund the Kiwanis International Park Waterfront Access Improvement Project paid from fund line H133 Kiwanis Boat Launch (\$31,240.46), and to fund the Senior Center Parking Lot Improvements Project paid from fund line A6772 2005 Equipment/Paving (\$40,000.00); and to fund the Rotterdam Preserve Master Plan paid from the fund line A7110 4153 Parks Improvements (\$12,516.73).

SECTION 2. Pursuant to Section 36 of the General Municipal Law of the State of New York and Sections 102, 112 and 113 of Town Law of the State of New York, regarding the Uniform System of Accounts, the following transfers to the various accounts for 2024 are hereby audited and approved:

<u>Fund</u>	<u>Account No.</u>	<u>Title</u>	<u>Amount</u>
General	A 909	FROM: Fund Balance	-\$12,516.73
General	A7110 4153	INTO: Parks Impvmts.	+\$12,516.73

SECTION 3. This resolution shall become effective November 26, 2024.

DATED: November 26, 2024

NAME	AYES	NOES	ABSTAIN
Dodson	X		
Mastroianni (Absent)			
Gallucci	X		
Schlag (Absent)			
Collins	X		

I, Diane M. Marco, Town Clerk of the Town of Rotterdam, Schenectady County, New York, **DO HEREBY CERTIFY** that the foregoing resolution was approved by the Town Board Special Meeting of the Town of Rotterdam on November 26, 2024, and that the foregoing resolution is a true and correct transcript of the original resolution and of the whole thereof and that said resolution is on file in the Town Clerk's office.

I DO FURTHER CERTIFY that each of the members of the Town Board had due notice of the said Town Board Special meeting.

IN WITNESS WHEREOF, I have hereunto set my hand and the seal of the Town of Rotterdam this December 2, 2024.

Diane M. Marco
Diane M. Marco, Town Clerk



RESOLUTION NO. 487.24

**TO NEGOTIATE AND EXECUTE AN AGREEMENT WITH MARSHALL &
STERLING EMPLOYEE BENEFITS, INC.**

THEREFORE, UPON MOTION OF Councilmember _____,

seconded by Councilmember _____,

BE IT RESOLVED BY THE TOWN BOARD AS FOLLOWS:

SECTION 1. The Town Board of the Town of Rotterdam hereby authorizes the Supervisor to negotiate and execute an agreement with Marshall & Sterling Employee Benefits Inc., for Flex (FSA/HRA/HAS) bundled administrative services.

SECTION 2. This resolution shall become effective December 27, 2024.

DATED: December 27, 2024

NAME	AYES	NOES	ABSTAIN
Dodson			
Mastroianni			
Gallucci			
Schlag			
Collins			

TOWN OF ROTTERDAM

John F. Kirvin Government Center • 1100 Sunrise Boulevard • Rotterdam, NY 12306
Telephone: 518-355-7575 • Fax: 518-355-7976 • Website: www.rotterdamny.org



LEGISLATIVE REQUEST FORM

DATE: December 20, 2024

TO: Mollie A. Collins, Town Supervisor
Town Board

FROM: Alison Grace, Town Comptroller

TITLE OF REQUEST: Enter into service agreement with Marshall and Sterling Employee Benefits for HRA administration; Specifically, as it relates to copay reimbursements.

TOWN BOARD MEETING: December 27, 2024

Background Information: Town previously utilized prior health insurance broker to perform this service. Now that we have changed over to a new broker we would like to switch this service as well.

Attachment/Document(s): Marshall & Sterling Service Agreement

LEGISLATION WILL BE PREPARED BY: Supervisor's Office



**THIRD PARTY ADMINISTRATION
COMBINED SERVICES AGREEMENT**

1. MSEB INFORMATION

MSEB: Marshall & Sterling Employee Benefits, Inc.

Address: 110 Main St. Poughkeepsie, NY 12601

Telephone: 845-226-3083 Fax: 845-452-6382

2. CLIENT INFORMATION

Client: _____

Address: _____

Telephone: _____ Fax: _____

Email: _____

3. SCOPE OF SERVICES

_____ (“Client”) has contracted with Marshall & Sterling Employee Benefits (“MSEB”) as of the _____ day of _____, 20____ (the “Effective Date”), to perform the services described in Exhibit “A,” attached hereto and incorporated herein by this reference.

4. PAYMENT

The Client shall pay MSEB based on selected services and associated charges set forth in Exhibit “A”, attached hereto and incorporated herein by this reference. These fees are in addition to commission included in the premiums that Client remits to insurance company(ies) involved.

Per employee per month (PEPM) billing, for any selected fee-for-service package(s), is calculated based on the applicable employee count as of the Effective Date of this Agreement. In future plan years, this will be calculated based on the employee count as of the first of the month prior to renewal. PEPM billing will be assessed up-front annually and a \$600 annual minimum per selected package applies. Monthly billing for PEPM based services is available, upon request, for contracts with annual fees in excess of \$2,500.

Per participant per month (PPPM) fees for Flex Administration shall only be due and payable for covered participants who are actually enrolled in the Plan(s) in any given month. MSEB intends to initiate direct withdrawal of PPPM monthly fees from the account designated on the Client’s Employer ACH Authorization Form and a \$50 per month billing minimum applies.

For future plan years beyond the Effective Date of this Agreement, MSEB may change the amount of such fees by providing at least thirty (30) days written or electronic notice to Client prior to renewal of the Agreement.

The Client agrees to remit to MSEB the fees covered under this Agreement within thirty (30) days of the invoice date for any covered recurring service described herein.

5. TERM & TERMINATION

- A. The term of this Agreement will begin on the Effective Date and will end on the one-year anniversary of the Effective Date. Thereafter, this Agreement shall automatically renew with the same terms and conditions set forth herein for successive one (1) year renewal terms ("Renewal Term"), unless terminated in accordance with section B.
- B. The Agreement will terminate upon the earliest to occur of the following: (i) mutual written agreement of the parties; (ii) written termination notice provided not less than one hundred and eighty (180) days prior to the end of the Initial Term or any Renewal Term or this Agreement; or (iii) material breach of the Agreement by either party, if such breach is not substantially cured within 15 days after the non-breaching party gives written notice of the breach to the breaching party.
- C. If this Agreement is terminated prior to the end of the initial or renewal term(s), Client must pay MSEB the full-term amount as outlined in this agreement immediately upon termination of this agreement.

6. INSURANCE & LICENSING

With respect to performance of work under this Agreement, MSEB shall maintain and shall require all of its subcontractors, MSEBs, and other agents to maintain, all required insurance and licensing.

7. INDEPENDENT CONTRACTOR

MSEB is an independent contractor, working under their own supervision and direction and is not a representative of Client.

8. CONFIDENTIALITY

All Client and MSEB information to which the parties have access to in connection with performance of this Agreement, are confidential between the parties and shall not be disclosed to anyone else, except as shall be necessary to effectuate its terms.

MSEB and the Client will each comply with any prohibitions, restrictions, limitations, conditions, or other requirements to the extent they apply to them directly or indirectly pursuant to the Health Insurance Portability and Accountability Act of 1996 ("HIPAA") and its implementing regulation concerning privacy of individually identifiable health information as set forth in 45 CFR Parts 160-164, as amended from time to time. Where required, the Client, as a representative of the health plans and MSEB will enter into a separate Business Associate Agreement.

9. MSEB'S STANDARD OF CARE

Client has relied upon the professional ability and training of MSEB as a material inducement to enter into this Agreement. MSEB hereby warrants that all of MSEB's work will be performed in accordance with generally accepted and applicable professional practices and standards as well as the requirements of applicable federal, state, and local laws.

10. ENTIRE AGREEMENT

This Agreement, including all exhibits hereto, constitutes the entire agreement between the parties and supersedes all prior agreements and understandings, whether oral or written, between the parties regarding the subject matter hereof. This Agreement may be modified or amended only by a written instrument executed by both parties.

11. APPLICABLE LAW AND FORUM

This Agreement and all matters concerning its interpretation, performance or enforcement hereof, shall be governed in accordance with the laws of the State of New York.

MSEB: Marshall & Sterling Employee Benefits Inc.

By: 

Name: Kathy Haase

Title: President

CLIENT: _____

By: _____

Name: _____

Title: _____



EMPLOYEE BENEFITS

Exhibit A: Fee Based Packages & Pricing

Service	Pricing	Selection
Flex (FSA/HRA/HSA bundled service) Note: Annual Nondiscrimination Testing available upon request: \$300	\$4.50 per participant per month (PPPM)	☐
Compliance Package with ACA (total employees)	\$1.75 per employee per month (PEPM)	☐
Compliance Package (No ACA) (eligible employees)	\$1.50 per employee per month (PEPM)	☐
Standalone 5500 & Plan Document Preparation (Wrap SPD/POP) Note: These items are included with Compliance Package.	\$600 annual fee	☐
Communications Package (eligible employees)	\$1.50 per employee per month (PEPM)	☐
Wellness Program Administration (eligible individuals)	\$4.50 per eligible per month (PEPM) <i>*Based on number of individuals eligible to participate</i>	☐
Direct HR Support (4 hours, including salary benchmarking)	\$500 annual fee	☐
At time of signing: Total Employee Count: _____ Eligible Employee Count: _____		

RESOLUTION NO. 488.24

**TO AUTHORIZE THE TOWN SUPERVISOR TO EXECUTE THE MEMORANDUM
OF AGREEMENT BETWEEN THE TOWN OF ROTTERDAM AND THE CIVIL
SERVICE EMPLOYEES' ASSOCIATION RECOGNIZING THE NEW SALARY OF
ACCOUNTANT**

WHEREAS, on March 15, 2022, the Schenectady County Civil Service Commission voted to establish the title of Accountant in the Town of Rotterdam in the competitive class of the civil service;

THEREFORE, UPON MOTION OF Councilmember _____,
seconded by Councilmember _____,

BE IT RESOLVED BY THE TOWN BOARD AS FOLLOWS:

SECTION 1. The Town Board of the Town of Rotterdam hereby authorizes The Supervisor to execute the memorandum of agreement between the Town of Rotterdam and the Civil Service Employees' Association recognizing the new salary for the position of Accountant, a position in the competitive class of the civil service, as a CSEA bargaining unit position covered under the Collective Bargaining Agreement between the Town of Rotterdam and the CSEA Town of Rotterdam Unit #8504.

SECTION 2. This resolution shall become effective December 27, 2024

DATED: December 27, 2024

NAME	AYES	NOES	ABSTAIN
Dodson			
Mastroianni			
Gallucci			
Schlag			
Collins			

TOWN OF ROTTERDAM

John F. Kirvin Government Center • 1100 Sunrise Boulevard • Rotterdam, NY 12306
Telephone: 518-355-7575 • Fax: 518-355-7976 • Website: www.rotterdamny.org



LEGISLATIVE REQUEST FORM

DATE: December 20, 2024

TO: Mollie A. Collins, Town Supervisor
Town Board

FROM: Alison Grace, Town Comptroller

TITLE OF REQUEST: Authorize Supervisor to execute the Memorandum of Agreement between the Town of Rotterdam and the Civil Service Employees' Association to increase the salary of the Accountant position.

TOWN BOARD MEETING: December 27, 2024

Background Information: CSEA Accountant position salary was initially agreed upon at \$63,000 with an MOA between the Town and CSEA on August 14, 2024. After posting for the position in September and finding there were no applicants a comparison was done for salaries, along with a review of the job description to determine if the initial salary stated accurately reflected the responsibilities of the job. It was found that \$63,000 was the lower end of the pay scale and should be adjusted.

Recommendation: Increase the starting salary of the Accountant position within CSEA to be \$75,000

Attachment/Document(s): MOA dated 8/14/24 with initial agreed upon salary

LEGISLATION WILL BE PREPARED BY: Supervisor's Office